

Empty enclosure

TKS 3625-24TE



TKS 3625-24TE

Empty enclosure

Productnumber: 14301201

Dimensions: 361 x 254 x 111 mm

Empty enclosure, protection class IP30, Polycarbonate, internal fixing points, for standard indoor installations, for mounting up to 26 WINSTA® plug connectors in conjunction with TKS AP adapter frames

24 Modular units, Box: Polycarbonate, grey, Lid: Polycarbonate, grey



Technical Data

electrical characteristics

| | |
|-----------------------------|---------------|
| Rated operating voltage AC: | 690 V |
| Rated operating voltage DC: | 1000 V |
| Protection class: | II |
| Type of protection: | IP30 |
| vented: | no |
| Number of modules: | 24 |
| UL Type Rating: | not specified |

Colours

| | |
|-------------------|------|
| Base unit colour: | grey |
| Cover colour: | grey |

Dimensions

| | |
|---------|----------|
| Width: | 361 mm |
| Length: | 254 mm |
| Height: | 111 mm |
| Weight: | 0.724 kg |

Material characteristics

| | |
|--|--------|
| UV-resistant: | yes |
| Halogen free: | yes |
| Flammability class according with UL94: | V2 |
| Glow-wire flammability according to EN 60695-2-11: | 960 °C |

mechanical properties

| | |
|---------------------|-----------------------|
| Type of fastening: | Wall/ceiling mounting |
| Impact strength: | IK07 |
| Sealable: | yes |
| Cover screw torque: | 1.2 Nm |

mechanical properties

| | |
|-------------------|------------------------|
| Flange variant: | no |
| Type of top part: | Cover |
| Fastening: | internal fixing points |

Ambient conditions

| | |
|------------------------------|---------|
| max. relative humidity 25°C: | 95 % |
| max. relative humidity 40°C: | 50 % |
| Min. ambient temperature: | -35 °C |
| Max. ambient temperature: | 80 °C |
| 24h ambient temperature: | 60 °C |
| Installation location: | Indoors |

Sales Information

| | |
|-----------------------|---------------|
| EAN: | 4013902694464 |
| Packing Unit Code: | C62 |
| ETIM Class: | EC000261 |
| Custom tariff number: | 85389099 |

Material

| | |
|-----------------------|-----------------------------------|
| Base unit material: | Polycarbonate |
| Cover material: | Polycarbonate |
| Cover screw material: | Polyamide, glass-fibre reinforced |

Accessories

[19821601 - NS 35-216 - Standard rail](#)

[19400101 - TK ABL - External fixing lugs kit](#)

[89604101 - MABF 215-2 - Mast/pipe fixing set](#)

[19501201 - TK MPI-3625 - Mounting plate](#)

[19701201 - TK MPS-3625 - Mounting plate](#)

Cable gland

