

PRODUCT-DETAILS

## UK636N3

UK636N3 Consumer unit , 622 mm x 384 mm x 97 mm, Flush-mounted, 36 SU, IP30, Enkele deur



### Algemene informatie

Type	UK636N3
Artikelnummer	2CPX031371R9999
EAN	4011617313717
Omschrijving	UK636N3 Consumer unit , 622 mm x 384 mm x 97 mm, Flush-mounted, 36 SU, IP30, Enkele deur

Omschrijving	Consumer unit, series UK600, Expansion option: Lateral and bottom, for the internal use, with closed doorframe and door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, IK code 7, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 850°C, Powder-coated, in RAL 9016, enclosure out of thermoplast, with trim frame and metal door, door out of sheet steel, in RAL 9016, with TIP-in closure, door opening angle 120 degree, door hinge right or left, cable entry on top via cable entry slide part is pre-punched, on bottom via cable entry slide part is pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 622 x 384 x 97, Shutter frame dimensions in mm (H x W x D): 622 x 384 x 9, 3-rows, Space units 36, Row distance in mm: 125, covers out of Plastic, 90 degree press and turn closure, with N/PE Quick-terminal, cable fastening rail integrated, assembled with device carrier, device support removable
--------------	---

### Technical

Normen	DIN 43871
Nominaal bedrijfsvoltage	Maximum 400 V
Operationeel voltage	400 V

Toegekende stroom ( $I_n$ )	63 A
Vermogensverlies	$\Delta t = 30K 54 W$
Aantal rijen	3
Type sluiting	Push Button
Configuratietype	assembled with device carrier
Afdekplaattype	Door
Behuizingstype	Consumer unit
Montagetype	Flush-mounted
Deurtype	Enkele deur
Uitvoering oppervlakte	Powder-coated
Materiaal behuizing	Plastic
Afdekestijl	Closed
DIN-plaatseenheden	36
RAL-nummer	RAL 9016 - Verkeerswit
Kleur	Traffic white
Terminaltype	Quick-Terminal

## Environmental

Beschermingsgraad	IP30
Beschermingsklasse	Geïsoleerd
RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	9AKK107992A8137
REACH-verklaring	2CPC100005X0201
Rapport over conflictmineralen (CMRT)	9AKK108468A3363

## Dimensions

Breedte in module-eenheden	12
Product netto breedte	384 mm
Product netto hoogte	622 mm
Product netto diepte	97 mm
Product netto gewicht	4.203 kg
Inbouwdiepte ( $t_2$ )	75 mm
Dimensiediagram	2CPC000001D0201 2CPC000002D0201 2CPC000007D0201

## Ordering

Minimale bestelhoeveelheid	1 stuk
Pakketniveau 1 Units	pack 1 stuk
Pakketniveau 1 Brutogewicht	4.371 kg

E-Number (Sweden)

2201240

---

## Certificates and Declarations

---

Conformiteitsverklaring -  
CE

9AKK107992A8137

---

## Installation

---

Instructies en  
handleidingen

2CPC129380M5601

---

## Popular Downloads

---

Gegevensblad, technische  
informatie2CPC000001C0101  
2CPC000002C0101Building Information  
Modeling – BIM

9AKK107046A7947

---

## Classifications

---

ETIM 8

EC000214 - Installatiekast met DIN-rail leeg

ETIM 9

EC000214 - Installatiekast met DIN-rail leeg

WEEE-categorie

4. Large Equipment (Any External Dimension More Than 50 cm)

AEEA B2C / B2B

Business To Consumer

CN8

85381000

eClass

V11.0 : 27142409

Object classificatiecode

U

---

## Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX031434R9999	UZ91P4 Enclosure accessories	UZ91P4	1	piece
2CPX062745R9999	ZK50BT Terminals	ZK50BT	1	piece
2CPX030892R9999	ZK507 Terminals	ZK507	1	piece
2CPX031413R9999	UZT4 Enclosure accessories	UZT4	1	piece
2CPX031412R9999	UZT3 Enclosure accessories	UZT3	1	piece
2CPX031787R9999	UZ641D Enclosure accessories	UZ641D	1	piece
2CPX031404R9999	AP636 Enclosure accessories	AP636	1	piece
2CPX031786R9999	UZ640D Enclosure accessories	UZ640D	1	piece
2CPX031788R9999	UZ642D Enclosure accessories	UZ642D	1	piece
2CPX061178R9999	ZX29 Interior fitting system	ZX29	1	piece
2CPX061177R9999	ZE225 Customized electrical components	ZE225	1	piece
2CPX031408R9999	UZB2 Enclosure accessories	UZB2	1	piece
2CPX061211R9999	ZE227 Customized electrical components	ZE227	1	piece
2CPX031789R9999	UZ643D Enclosure accessories	UZ643D	1	piece
2CPX031427R9999	ZE224 Customized electrical components	ZE224	1	piece
2CPX031409R9999	UZB3 Enclosure accessories	UZB3	1	piece

## Categorieën

Laagspanningsproducten en -systemen → Verdelers → Installatiekasten (System pro E comfort) → Installatiekasten → UK600

