


# Weather Light 55 W 12 V P14.5s



#### **Product family benefits**

- Optimized for rough weather conditions (such as fog, rain, snow)
- On most difficult off-road terrains
- High contrast
- Better visibility
- Remarkable illumination


#### **Product family features**

- Yellowish white light
- High performance off-road lamp
- Color temperatures of up to 2,600 K
- More power
- Rugged and versatile

### **Product datasheet**



Product type (off-road vs. on-road)		Off-road		
Application (Category a	nd Product specific)	Halogen lamp	Halogen headlight lamp	
Electrical data				
Power input		68 W	68 W	
Test voltage		13.2 V	13.2 V	
Nominal wattage		55.00 W	55.00 W	
Nominal voltage		12.0 V		
Photometrical data				
Color temperature		4000 K		
Luminous flux		1550 lm		
Luminous flux toleranc	e	±15 %		
Dimensions & weight				
Product weight		6.30 g		
Length		62.5 mm	62.5 mm	
Diameter		8.5 mm		
Lifespan				
Lifespan Tc		650 h		
Lifespan B3		400 h		
Additional product data	1			
Base (standard designation)		P14.5s		
Capabilities				
Technology		Halogen lamp		
Certificates & standard	s			
ECE category		H1 base		
Logistical data				
Order reference		N448W		
Environmental informa	tion			
Date of Declaration		19-01-20	19-01-2022	
Primary Article Identifier		4052899	4052899553248	
Candidate List Substance 1			No declarable substances contained	
Declaration No. in SCIP database			No declarable substances contained	
Packaging Information	on.			
Packaging Information Packaging description NEOLUX	EAN	Packaging type	Amount o	
		Folding box	ui titte	



## Legal advice

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.



NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com