

ANDROMEDA

SLI033019WW_PW

On track luminaire ANDROMEDA, with a power of 25 W, high light efficacy 128 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed to be mounted on a track.




Power	25 W	Voltage	230 V
Luminous flux*	3200 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	36, 60 °
Degree of protection (IP)	IP20		

Technical data

Code	SLI033019WW_PW
Power	25 W
Nominal current	120 mA
Voltage	230 V
Energy consumption	25 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power supply included	+
Manufacturer of power supply	LIFUD
Power factor	0.9
Useful luminous flux*	3200 lm (360°)
Luminous flux**	2600 lm (360°)
Lamp efficacy	128 lm/W
Luminous intensity	6100 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	36, 60 °
RA	80
Light source included	+
Producer of LED diodes	SANAN
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	Aluminum, PLASTIC
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	170x160x74 mm
For use	Inside
Assembly method	on track
Application	INT
Made in	PRC

Related documents



 User manual



 Declaration of Conformity



 Photometric file

