


PRODUCT-DETAILS

# ZLSP950E74-3LN

## ZLSP950E74-3LN Starter pack Power



### General Information

Extended Product Type	ZLSP950E74-3LN
Product ID	2CCF212322A0001
EAN	7612271489502
Catalog Description	ZLSP950E74-3LN Starter pack Power
Long Description	Starter pack Touch proof SMISSLINE TP Power Bar System 250A 3LN Pluggable socket system is completely fingersafe (IP2XB) together with the socket end piece

### Technical

Rated Current ( $I_n$ )	250 A
Options Provided	3LN
Model Number	Other

### Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK107991A9647
Environmental Information	9AKK108467A9561
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

## Dimensions

---

Product Net Width	113 mm
Product Net Height	1407 mm
Product Net Depth / Length	49 mm
Product Net Weight	5084 g
Dimension Diagram	9AKK107492A6192

---



---

## Ordering

---

Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	5434 g
E-Number (Switzerland)	809997320

---



---

## Certificates and Declarations

---

Declaration of Conformity - CE	9AKK107991A9647
--------------------------------	-----------------

---



---

## Installation

---

Instructions and Manuals	2CCR213000B0001
--------------------------	-----------------

---



---

## Popular Downloads

---

Data Sheet, Technical Information	9AKK107492A6192
-----------------------------------	-----------------

---



---

## Classifications

---

ETIM 8	EC001522 - Busbar
ETIM 9	EC001522 - Busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389030
eClass	V11.0 : 27370303
Object Classification Code	F

---



---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems → Plug-in Distribution Systems Accessories → Accessories for Plug-in Distribution Systems 250A

