

PRODUCT-DETAILS

ZLS201E80

ZLS201E80 Busbar



General Information

Extended Product Type	ZLS201E80
Product ID	2CCF800194R0001
EAN	7612270016990
Catalog Description	ZLS201E80 Busbar
Long Description	Busbar 125A L1, L2, L3, N or PE 10x3mm galvanic plated for SMISLINE TP-Touch proof system PLE80

Technical

Standards	IEC/EN 61439-6
Type of Residual Current	standard version
Rated Operational Voltage	690/1000 V AC/DC
Rated Current (I_n)	125 A
Surface Finishing	Tinned
Options Provided	Busbar LLL,N, N,PE
Model Number	Flat

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK107991A9646
Environmental Information	9AKK108467A9561
Conflict Minerals Reporting Template	9AKK108468A3363

(CMRT)

Dimensions

Product Net Width	10 mm
Product Net Height	3 mm
Product Net Depth / Length	1436 mm
Product Net Weight	376 g
Dimension Diagram	9AKK107492A6192

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	398 g

Certificates and Declarations

Declaration of Conformity - CE	9AKK107991A9646
--------------------------------	-----------------

Installation

Instructions and Manuals	9AKK107680A2315
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107492A6192
-----------------------------------	-----------------

Classifications

ETIM 8	EC001522 - Busbar
ETIM 9	EC001522 - Busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389030
eClass	V11.0 : 27370303
Object Classification Code	W

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems → Plug-in Distribution Systems Accessories → Accessories for Plug-in Distribution Systems 125A

