

PRODUCT-DETAILS

# CA37RZ1

CA37RZ1 ComfortLine Compact distribution board, Surface-mounted, 216 SU, Geïsoleerd, IP44, Field Width: 3, Rows: 6, 1100 mm x 800 mm x 160 mm



## Algemene informatie

Type	CA37RZ1
Artikelnummer	2CPX052288R9999
EAN	4011617522881

Omschrijving	CA37RZ1 ComfortLine Compact distribution board, Surface-mounted, 216 SU, Geïsoleerd, IP44, Field Width: 3, Rows: 6, 1100 mm x 800 mm x 160 mm
--------------	---

Omschrijving	Compact distribution board, partly assembled cabinet, for the internal use, with Door, class of protection II (double insulated), in combination with earthing set (accessory) we can achieve protection class 1, degree of protection IP44, applicable standards: EN 61439-1, EN 61439-3, Rated operational voltage 400V AC 50/60 Hz, rated current 125 A, Powder-coated, in RAL 9016, enclosure out of sheet steel, double door, door out of sheet steel, in RAL 9016, with Standard closure, door opening angle 130 degree, door hinge right and left, cable entry on top via pre-punched, on bottom via pre-punched, dimensions in mm (H x W x D): 1100 x 800 x 160, Grid unit 7 GU, panel width 3, 6-rows, Space units 216, Row distance in mm: 150, covers out of Plastic, 90 degree press and turn closure, RAL 7035, with N/PE screw terminal, cable fastening rail integrated, Assembled with distribution module, device support removable
--------------	--

## Technical

Normen	DIN EN 61439-3
Nominaal bedrijfsvoltage	Maximum 400 V
Operationeel voltage	400 V
Toegekende stroom ( $I_n$ )	125 A
Vermogensverlies	$\Delta t = 20K$ 80.6 W $\Delta t = 25K$ 106.4 W $\Delta t = 30K$ 125.7 W

Aantal rijen	6
Type sluiting	Turn Handle
Configuratietype	Assembled with distribution module
Afdekplaattype	Door
Behuizingstype	compact distribution boards
Montagetype	Surface-mounted
Deurtype	Dubbele deur
Uitvoering oppervlakte	Powder-coated
Materiaal behuizing	Steel
Afdekstijl	Closed
DIN-plaatseenheden	216
RAL-nummer	RAL 9016 - Verkeerswit
Kleur	Traffic white
Terminaltype	Schroef

## Environmental

Beschermingsgraad	IP44
Beschermingsklasse	Geïsoleerd
RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	9AKK107680A4771
REACH-verklaring	2CPC100005X0201
Rapport over conflictmineralen (CMRT)	9AKK108468A3363

## Dimensions

Breedte in module-eenheden	36
Product netto breedte	800 mm
Product netto hoogte	1100 mm
Product netto diepte	160 mm
Product netto gewicht	30.924 kg
Inbouwdiepte (t <sub>2</sub> )	0 mm

## Ordering

Minimale bestelhoeveelheid	1 stuk
Pakketniveau 1 Units	pack 1 stuk
Pakketniveau 1 Brutowicht	32.161 kg

## Certificates and Declarations

Conformiteitsverklaring - CE	9AKK107680A4771
------------------------------	-----------------

## Installation

Instructies en handleidingen	2CPC133150M5601
------------------------------	-----------------

## Popular Downloads

Gegevensblad, technische informatie	No document needed
Building Information Modeling - BIM	9AKK107680A4429

## Classifications

ETIM 8	EC000214 - Installatiekast met DIN-rail leeg
ETIM 9	EC000214 - Installatiekast met DIN-rail leeg
WEEE-categorie	4. Large Equipment (Any External Dimension More Than 50 cm)
AEEA B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142409
Object classificatiecode	U

## Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX052449R9999	CZL61 ComfortLine Compact CA Enclosure accessories, 15 mm x 200 mm x 300 mm	CZL61	1	piece
2CPX052412R9999	CZT2 ComfortLine Accessory door, 165 mm x 62 mm x 32 mm	CZT2	1	piece
2CPX052556R9999	CZ9P16 ComfortLine Interior fitting system, 26 mm x 18.2 mm x 94 mm	CZ9P16	1	piece
2CPX052488R9999	CZT5 ComfortLine Accessory door, 164 mm x 62 mm x 47 mm	CZT5	1	piece
2CPX052462R9999	CZ4 ComfortLine Accessory cabinet connection, 20.5 mm x 204 mm x 87 mm	CZ4	1	piece
2CPX052460R9999	CZ2 ComfortLine Accessory cabinet connection, 30 mm x 50 mm x 13 mm	CZ2	1	piece
2CPX052459R9999	CZ1P4 ComfortLine Accessory cabinet assembly, 130 mm x 40 mm x 20 mm	CZ1P4	1	piece
2CPX052437R9999	CZF3 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF3	1	piece
2CPX052438R9999	CZF4 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF4	1	piece
2CPX010487R9999	TZ503 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ503	1	piece
2CPX010488R9999	TZ504 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ504	1	piece
2CPX010489R9999	TZ505 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ505	1	piece
2CPX010490R9999	TZ506 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ506	1	piece
2CPX010491R9999	TZ507 Enclosure accessories, 25 mm x 100 mm x 170 mm	TZ507	1	piece
2CPX010492R9999	TZ508 Enclosure accessories, 25 mm x 100 mm x 170 mm	TZ508	1	piece
2CPX052420R9999	CZT27H ComfortLine Enclosure accessories, 575.5 mm x 29.5 mm x 5 mm	CZT27H	1	piece

---

## Categorieën

---

Laagspanningsproducten en -systemen → Verdelers → Onderverdeelborden (System pro E energy) → Compacte verdeelborden - samengestelde modules → ComfortLine Compact CA

