









ENDURA® STYLE SOLAR BOUQUET



	EAN	W	lm Mode A	lm Mode B	lm Mode C	K	°C	V	IP	
ENDURA STYLE SOL BOUQUET WALLSEN ST	4058075564503	6	200	steady 75 + PIR 300	550	3000	-20...+40	3.7	IP44	12500
ENDURA STYLE SOL BOUQUET 50CMSEN ST	4058075564527	6	200	steady 75 + PIR 300	550	3000	-20...+40	3.7	IP44	12500
ENDURA STYLE SOL BOUQUET WALLSEN BK	4058075564541	6	200	steady 75 + PIR 300	550	3000	-20...+40	3.7	IP44	12500
ENDURA STYLE SOL BOUQUET 50CMSEN BK	4058075564565	6	200	steady 75 + PIR 300	550	3000	-20...+40	3.7	IP44	12500





5



Mode A
 200 Lumen
 2.5h

Mode B
 300 Lumen ↔ 75 Lumen
 ⌀ 15s
 PIR: 100x
 STEADY: 7-8h

Mode C
 550 Lumen ↔ OFF
 ⌀ 15s
 100x





FR

Cet appareil
se recycle

À DÉPOSER
EN MAGASIN



OU

À DÉPOSER
EN DÉCHÈTERIE



Points de collecte sur www.quefairedemesdechets.fr

C10449057
G11153207
25.04.2023



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com