

Standard 4 W 24 V BA9s

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Designed specifically for 24 V
- Lamps for exterior applications are ECE certified
- Good quality thanks to German technology
- Normed light output


Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	5 W	
Test voltage	28.0 V	
Power input tolerance	±10 %	
Nominal wattage	4.00 W	
Nominal voltage	24.0 V	
Photometrical data		
Luminous flux	35 lm	
Luminous flux tolerance	±20 %	
Dimensione 9 maiste		
Dimensions & weight Product weight	2.02 g	
Length	27.4 mm	
Diameter	9 mm	
Lifespan		
Lifespan Tc	350 h	
Lifespan B3	120 h	
Additional product data		
Base (standard designation)	BA9s	
Certificates & standards		
ECE category	T4W	
British standard	249	
Logistical data Order reference	N249	
Environmental information		
Date of Declaration	19-01-2022	
Primary Article Identifier	4006584590186 4008321769350 4055462156068 4052899995635 5011274124915	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	
Packaging Information		

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N249	4008321769350	Folding box	10





www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020