

PRODUCT-DETAILS

# 64764-83-500

## 64764-83-500 Cover Plates (partly incl. Insert) Movement sensor aluminium silver - 63x63



### Informations générales

Extension du type de produit	64764-83-500
Code de produit	2CKA006800A2999
EAN	4011395293775
Description courte	64764-83-500 Cover Plates (partly incl. Insert) Movement sensor aluminium silver - 63x63

Description longue	<p>Movement detector sensor with with measurement of ambient light. For automatic switching of devices dependent on motion and brightness. Push switch function possible at all times.</p> <p>For detection down to the floor. For detection in stairwells. With 4 detection levels. In combination with dimmer insert flex: dimming function of lighting and selectable light value storage. With enabling of pre-warning of switch-off for stairwell operation. Compatible with all free@home flex inserts. Adjusting elements on rear side. Multi-lens: suitable also for mounting heights of 2.20 m. Extension of the detection range by means of master/slave combination. With continuous light/continuous Off function. With brightness-independent test mode for evaluating the detection zone. With detection display in test mode. Surveillance density: 54 sectors with 224 switching segments. Switch-off delay: approx. 10 sec - 30 min or short-time pulse 1 sec adjustable. For relay insert flex, 1gang, 64811 U. For e-contact insert flex, 1gang, 64814 U. For series relay insert flex, 2gang, 64821 U. For LED touch dimmer insert flex, 1gang, 64851 U. For extension insert flex, 64891 U. Mounting height: 31 mm.</p>
--------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Installation

Instructions et manuels	<p>2CKA000073B5101                  2CKA000073B5124                  2CKA000073B5125                  2CKA000073B5126                  2CKA000073B5127                  2CKA000073B5128</p>
-------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

---

## Technique

Fiche produit, informations techniques	No document needed
Data Sheet, Technical Information (Part 2)	2CKA000073B5216
Adapté pour	2CKA006800A3042 2CKA006800A3048 2CKA006800A3045 2CKA006500A0013 2CKA006800A3051
Product Range	flexTronics
Design Range	63x63 future linear Busch-axcent Busch-axcent pur
Minimum Switching Time	Switch-On 10 second [unit of time]
Type de montage	Flush Mounted
Matériau	Thermoplastic
Model Number	Movement sensor
RAL Number	RAL 9006 - Aluminium blanc
Couleur	aluminium silver
Poids de la batterie	0 g
Application Function	Electrical Load and Light Control

---

## Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E7397
REACH Declaration	2CKA309999E9999

---

## Dimensions

Produit Largeur Net	63 mm
Produit Hauteur Net	63 mm
Produit Longueur Net	44 mm
Poids net	34 g

---

## Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	carton 1 pièce
Emballage Niveau 1 Poids	0.107 kg
Code douanier	85389099
E-Number (Finland)	2619474
E-Number (Sweden)	1301522
Pays d'origine	Germany (DE)

---

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité  
- CE

2CKA100000E4315

---

## Classifications

---

ETIM 8	EC000138 - Sensor element for movement sensor
ETIM 9	EC000138 - Sensor element for movement sensor
CN8	8538 90 99
eClass	V11.0 : 27144008

---

---

## Catégories

---

Produits basse tension → Wiring Accessories - Light Switch Ranges → Cover Plates (partly incl. Insert) → Electronic Controls

