



MASTER Value Glass LED bulbs

MAS VLE LEDBulbD3.4-40W E27 927 A60 FR G

Featuring a classic heritage design, these filament LED bulbs combine the familiar shapes of incandescent bulbs with the benefits of long-lasting LED technology. These MASTER Value Glass LED bulbs offer more energy savings than normal glass LED bulbs. At the same time, they also provide customers with good light experience, enhanced by excellent dimming performance (dimmable glass LED bulbs). MASTER Value Glass LED Bulbs deliver significant energy savings, using 30% less energy compared to normal LED bulbs and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED bulbs also reduce maintenance costs.

Product data

General Information		LLMF At End Of Nominal Lifetime (Nom) 70 %	
Cap-Base	E27 [E27]		
Nominal lifetime	15,000 hour(s)		
Switching Cycle	20,000		
Lighting Technology	LED		
Flux measurement reference	Sphere		
		Operating and Electrical	
		Line Frequency	50 to 60 Hz
		Input Frequency	50 to 60 Hz
		Power Consumption	3.4 W
		Lamp Current (Nom)	20 mA
		Wattage Equivalent	40 W
		Starting Time (Nom)	0.5 s
		Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.7
		Voltage (Nom)	220-240 V
		Temperature	
		T-Case Maximum (Nom)	80 °C

MASTER Value Glass LED bulbs

Controls and Dimming

Dimmable	Only with specific dimmers
----------	----------------------------

Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]


Approval and Application

Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	574.384
CE mark	Yes
EU RoHS compliant	Yes

Product Data



Full product code	871951435483800
Order product name	MAS VLE LEDBulbD3.4-40W E27 927 A60 FR G
Order code	929003070702
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929003070702
Full product name	MAS VLE LEDBulbD3.4-40W E27 927 A60 FR G
EAN/UPC - Case	8719514354845

Dimensional drawing



Product	D	C
MAS VLE LEDBulbD3.4-40W E27 927 A60 FR G	60 mm	104 mm


Photometric data



Light Distribution Diagram - MAS VLE LEDBulbD3.4-40W E27 927 A60 FR G

MASTER Value Glass LED bulbs

Photometric data




Spectral Power Distribution Colour - MAS VLE LEDBulbD3.4-40W E27 927 A60 FR G

Lifetime



Life Expectancy Diagram - MAS VLE LEDBulbD3.4-40W E27 927 A60 FR G



Lumen Maintenance Diagram - MAS VLE LEDBulbD3.4-40W E27 927 A60 FR G

