


PRODUCT-DETAILS

# TY25M-6

## CABLE TIE 50LB 7IN BLUE NYLON



### Algemene informatie

|               |   |
|---------------|---|
| Type          | TY25M-6   |
| Artikelnummer | 7TAG009270R0016   |
| EAN           | 5414363062592   |
| Omschrijving  | CABLE TIE 50LB 7IN BLUE NYLON   |
| Omschrijving  | High Performance Cable Tie for Indoor applications, Blue Color Nylon 6.6, Length of 186mm (7.3 Inches) for Bundle Diameter up to 48mm (1.89 Inches), Width of 4.9mm (0.19 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F), UL/EN/CSA62275 Type 2/215 Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Military Specified (MIL-SPEC MS3367-1-6), Bulk Pack |

### Ordering

|                        |                    |
|------------------------|--------------------|
| EAN                    | 5414363062592      |
| UPC                    | 786210844893       |
| Land van herkomst      | United States (US) |
| Verkoopenheid van maat | each               |

### Dimensions

|                       |                     |
|-----------------------|---------------------|
| Product netto breedte | 0.184 in<br>4.67 mm |
|-----------------------|---------------------|

|                      |                  |
|----------------------|------------------|
| Product netto diepte | 7.2 in<br>183 mm |
|----------------------|------------------|

### Container Information

|                        |                  |
|------------------------|------------------|
| Pakketniveau 1 Units   | 1000 stuk        |
| Pakketniveau 2 Units   | 10000 stuk       |
| Pakketniveau 2 Breedte | 11 in<br>279 mm  |
| Pakketniveau 2 Hoogte  | 7.5 in<br>191 mm |
| Pakketniveau 2 Lengte  | 12 in<br>305 mm  |

### Technical UL/CSA

|                              |     |
|------------------------------|-----|
| Ontvlambaarheid volgens UL94 | V-2 |
|------------------------------|-----|

### Additional Information

|                   |  |
|-------------------|--|
| Merk / Label      | Ty-Rap   |
| Bundeldiameter    | 0.12 to 1.89 in<br>3 to 48 mm  |
| Kleur             | Blue   |
| Ingangsdatum      | 19680313   |
| Type slot         | Stainless Steel Barb   |
| Materiaal         | Nylon/Polyamide 6.6  |
| Productnaam       | NYLON CABLE TIES AND ACCESSORIES   |
| Producttype       | High Performance   |
| Speciale functies | Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time. |
| Normen            | UL E49405  |
| Treksterkte       | 50 lb<br>222 N   |
| Dikte             | 0.05 in<br>1.3 mm  |

### Certificates and Declarations

|                                     |                 |
|-------------------------------------|-----------------|
| Gegevensblad, technische informatie | TDS000518       |
| Conformiteitsverklaring - CE        | 9AKK107492A9841 |

### Classifications

|                                      |                            |
|--------------------------------------|----------------------------|
| ETIM 6                               | EC000046 - Kabelbundelband |
| ETIM 7                               | EC000046 - Cable tie       |
| ETIM 8                               | EC000046 - Kabelbundelband |
| UNSPSC                               | 39121703                   |
| WEEE-categorie                       | Product Not in WEEE Scope  |
| IGCC (IDEA granulaire categoriecode) | 5034 >> Cable ties         |

---

## Categorieën

---

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Kabelbinders

