

PRODUCT-DETAILS

P9B11VN

P9B11VN Contact Block



Algemene informatie

Type	P9B11VN
Artikelnummer	1SFA187000R8011
EAN	7320500522844
Omschrijving	P9B11VN Contact Block
Omschrijving	The P9B11VN Contact Block is: Modular metal - Contact Block - Brown - Front mounting - 1 NO - 1 NC This Contact Block is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range.

Ordering

Minimale bestelhoeveelheid	10 stuk
Numero douanetarief	8536901000

Popular Downloads

Gegevensblad, technische informatie	1SFC151007C02_
Instructies en handleidingen	1SFC151011M0201

Dimensions

Product netto breedte	9.6 mm
Product netto hoogte	39.9 mm
Product netto diepte	48 mm
Product netto gewicht	0.05 kg

Technical

Omgevingsluchttemperatuur	Werking -30 ... 70 °C Opslag -40 ... +70 °C
Kleur	Brown
Montagetype	Front mounting
Aantal hulpcontacten NC	1
Aantal hulpcontacten NO	1
Beschermingsgraad	Terminals IP20
Verontreinigingsgraad	3
Nominaal isolatievoltage (U _i)	690 V
Nominale impuls grens-voltage (U _{imp})	4 kV
Verbindingscapaciteit	Flexible with Ferrule 1 x 0.75...2.5 mm ² Flexible with Ferrule 2 x 0.75...2.5 mm ² Flexible with Insulated Ferrule 1 x 0.75...2.5 mm ² Flexible with Insulated Ferrule 2 x 0.75...2.5 mm ² Flexible 1 x 0.75 ... 2.5 mm ² Flexible 2 x 0.75 ... 2.5 mm ² Solid 1 x 0.75...2.5 mm ² Solid 2 x 0.75...2.5 mm ²
Aansluitwijze	Schroefklem
Terminaltype	Schroef
Aanhaalmoment	0.9 N·m
Kabelstriplengte	10 mm

Technical UL/CSA

Verbindingscapaciteit	1x 18...14 AWG
UL/CSA	2x 18...14 AWG

Environmental

RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	2CMT2019-005862
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
AEEA B2C / B2B	Business To Business

Certificates and Declarations

BV-certificaat	2CMT2019-005867
CB-certificaat	2CMT2019-005873
CQC-certificaat	CQC2013010304650811
CSA-certificaat	2CMT2019-005868
cULus-certificaat	2CMT2019-005868
Declaration of Conformity - CCC	2020980304001860
Conformiteitsverklaring - CE	2CMT2019-005862
Declaration of Conformity - UKCA	2CMT2020-006121
DNV GL-certificaat	2CMT2019-005876
RINA-certificaat	2CMT2019-005866
UL-certificaat	2CMT2019-005868

Container Information

Pakketniveau 1 Units	tas 1 stuk
Pakketniveau 1 Breedte	80 mm
Pakketniveau 1 Lengte	50 mm
Pakketniveau 1 Hoogte	120 mm
Pakketniveau 1 Brutogewicht	0.05 kg
Pakketniveau 1 EAN	7320500522844

Classifications

ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Hulpcontactblok
eClass	V11.0 : 27371302
UNSPSC	39122221
IGCC (IDEA granulaire categoriecode)	5219 >> Switch part or accessory
E-Number (Finland)	2313793
E-Number (Sweden)	3705928

Categorieën

Laagspanningsproducten en -systemen → Control Producten → Druknoppen → Modular Metal Range P9M

