Lighting

PHILIPS



CorePro Glass LED bulbs

CorePro LEDBulbND10.5-100W E27A60 827FRG

Featuring a classic heritage design, these filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these CorePro LED bulbs provide 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light in a vintage style. CorePro LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	300 degree(s)
Luminous Flux	1,521 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	144.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	10.5 W
Lamp Current (Nom)	90 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.52
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	55 ℃


A ↑ G

CorePro Glass LED bulbs

Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A60
Net Weight (Piece)	0.030 kg
Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	11 kWh
EPREL Registration Number	387431
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4

Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	CorePro LEDBulbND10.5-100W E27A60
	827FRG
Full product name	CorePro LEDBulbND10.5-100W E27A60
	827FRG
Full product code	871951436128700
Order code	929002026402
Material Nr. (12NC)	929002026402
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514361287
Numerator - Packs per outer box	10
EAN/UPC - Case	8719514361294

Dimensional drawing



Product	D	с
CorePro LEDBulbND10.5-100W E27A60 827FRG	60 mm	104 mm

+ 100 60 40 20 0 200 300 400 500 600 700 800 λ[nm]→

Spectral Power Distribution Colour - CorePro LEDBulbND10.5-100W E27A60 827FRG


Photometric data

1 x 9290038264 A60 3700K 10.5W
tx ID1ie

General uniform lighting - CorePro LEDBulbND10.5-100W E27A60 827FRG


CorePro Glass LED bulbs

Photometric data



Light Distribution Diagram - CorePro LEDBulbND10.5-100W E27A60 827FRG

Lifetime



Bulb A67 100W 1521lm 2700K E27 NDFrosted

Lumen Maintenance Diagram - CorePro LEDBulbND10.5-100W E27A60 827FRG

20000

30000

40000

Burning hours

10000

0



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2025, March 17 - data subject to change