


# SLI031036NW\_PW\_CZUJNIK

SLI031036NW\_PW\_CZUJNIK

---

IP54




---

Power	<b>32 W</b>	Voltage	<b>230 V</b>
Luminous flux*	<b>3400 lm (360°)</b>	Colour temperature	<b>4000 K</b>
Colour of light	<b>Neutral white</b>	Beam angle	<b>115 °</b>
Degree of protection (IP)	<b>IP54</b>		

---

## Technical data

Code	SLI031036NW_PW_CZUJNIK
Power	32 W
Nominal current	142 mA
Voltage	230 V
Energy consumption	32 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.98
Useful luminous flux*	3400 lm (360°)
Luminous flux**	2250 lm (360°)
Lamp efficacy	106 lm/W
Luminous intensity	1360 cd
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	380x55 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC
Other	MV Sensor ,



## Related documents



 Declaration of Conformity

