

PRODUCT DATASHEET

L 58 W/765

Basic T8 | Tubular fluorescent lamps 26 mm, with G13 bases



TECHNICAL DATA

Electrical data

Nominal wattage	58 W
Construction wattage	58.00 W
Nominal voltage	110 V
Nominal current	0.67 A
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

Photometrical data

Luminous flux	4000 lm
Luminous efficacy	69 lm/W
Luminous flux at 25 °C	4000 lm
Light color (designation)	Cool Daylight
Color temperature	6500 K
Color rendering index Ra	70
Light color	765
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

Dimensions & Weight

Overall length	1500.00 mm
Length with base excl. base pins/connection	1500 mm
Diameter	26.00 mm
Tube diameter	26 mm
Product weight	184.00 g

Lifespan

Lifespan	13000 h
Service life	5000 h

Additional product data

Base (standard designation)	G13
Mercury content	8.0 mg

Country-specific categorizations

ILCOS	FD-58/765-E-G13-26/1500
Order reference	L 58W/765

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	G13
Length	1500.00 mm
Height	26.00 mm
Width	26.00 mm

DOWNLOAD DATA

DOWNLOAD DATA



Advertisements

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075200159	Sleeve 1	1,515 mm x 28 mm x 27 mm	208.00 g	1.15 dm ³
4058075200166	Shipping box 25	1,545 mm x 150 mm x 155 mm	5594.00 g	35.92 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.