

PRODUCT DATASHEET

LS AY -PW01/U/26X8/14/2

Wide Profiles for LED Strips | Wide Profiles for LED Strips



Areas of application

- General indoor illumination

Product benefits

- Robust aluminum profile
- Quick and simple installation

TECHNICAL DATA

Dimensions & Weight

Length	2000 mm
Width	26.0 mm
Height	7.4 mm
Product weight	320.00 g

Colors & materials

Product color	Grey
---------------	------

Temperatures & operating conditions

Ambient temperature range	-15...+45 °C
Temperature range in operation	-15...+45 °C






Additional product data



Product remark	Can be combined with all LEDVANCE LED Strips including connectors and endcap
----------------	--

LOGISTICAL DATA



Temperature range at storage	-35...+85 °C
------------------------------	--------------

Accessories Optional

Product image	Product name	EAN
	LS AY -PC/W01/D/2	4058075401952
	LS AY -PC/W01/C/2	4058075402133
	LS AY -PW01/MB	4058075276611
	LS AY -PC/W01/D/1	4058075279391
	LS AY -PW01/EC	4058075277335

Product image	Product name	EAN
	LS AY -PC/W01/C/1	4058075402317
	LS AY -PW01/EC/H	4058075277366

DOWNLOAD DATA

Documents and certificates	Document name
 Declarations of conformity	LS AY PM_PF_PW_PC
Tender texts	Document name
 Tender documents	Wide Profiles for LED Strips PW01U26X8142-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075401440	BAG 1	2,000 mm x 26 mm x 8 mm	321.00 g	0.42 dm ³
4058075401457	Bundle 5	2,000 mm x 26 mm x 40 mm	1606.00 g	2.08 dm ³
4058075401464	Shipping box 25	2,040 mm x 180 mm x 110 mm	8757.00 g	40.39 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.