

NOCTIS SOLARIS 2

SLI029064CW



See
more

LED luminaire NOCTIS SOLARIS 2, with a power of 200 W. It has a very high degree of protection IP65, providing protection against the ingress of dust and water jets. It shines with a cold light (6000K). Narrow beam angle 90° gives directional light so that selected surfaces can be better exposed. Designed for surface mounting.



Power	200 W	Voltage	3.2 V
Colour temperature	6000 K	Colour of light	CW
Beam angle	90 °	Degree of protection (IP)	IP65

Technical data

Code	SLI029064CW
Power	200 W
Voltage	3.2 V
Energy consumption	200 kWh/1000h
Protection class	III
Luminous flux**	2000 lm (360°)
Colour temperature	6000 K
Colour of light	CW
Beam angle	90 °
RA	>70
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	26000 h
Housing material	ABS+PC
Degree of protection (IP)	IP65
Colour	Black
Dimension (AxBxC)	230x172x39mm + panel 390x300x17 mm
For use	Outside
Assembly method	On the ceiling
Application	EXT
Made in	PRC
Other	Working time 14h, Charging time 4-6h ,

Related documents



 Declaration of Conformity

