Product End of Life Instructions

Wireless limit switch XCMW- roller plunger








ENVEOLI1905010EN_V1 09/2019

♦ End of Life Instructions



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|---------------------------------------------|---------------|---------|
| To be depolluted | 1 | Plastic body with brominated fire retardant | 12,43 g | |

To be depolluted 1 Plastic body with brominated fire retardant 12,43 g Product description

| Manufacturer identification | Schneider Electric Industries SAS |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brand name | Telemecanique |
| Product function | XCMW102 is the most miniature and cost effective of wireless and battery-less limit switches. Its purpose is to transmit a signal. It is compatible with operation under harsh industrial environments: - IP65 following IEC60529 - IK04 following IEC62262 |
| Product reference | XCMW102 |
| Additional similar product references | XCMW102 XCMW110 XCMW115 XCMW116 XCMW145 XCMWD02 XCMWD15 XCMW245 XCMWD15SI1 XCMW115R0 |
| Total representative product mass | 46,7 g |
| Representative product dimensions | 84 mm x 30 mm x 16 mm |
| Date of information release | 09/2019 |

ENVEOLI1905010EN_V1 09/2019



| Legal information | intended | The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. | |
|-------------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Recyclability potential | 30% | Based on "ECO'DEEE recyclability and recoverability calculation method" (version V Sep. 2008 presented to the French Agency for Environment and Energy Managemer ADEME). | |

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

CS 30323 F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI1905010EN_V1

35, rue Joseph Monier

Published by Schneider Electric

© 2019 - Schneider Electric - All rights reserved

09/2019