



MASTER LEDspot ExpertColor AR111



MAS ExpertColor 10.8-50W 930 AR111 40D

MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates such an ambience with superior lighting that has a customized spectrum, high CRI, and deep dimming feature. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot MV and LEDspot Par lamps.

Product data

G53
40,000 hour(s)
50,000
LED
Narrow Cone
930 [CCT of 3000K]
40 degree(s)
620 lm
1,200 cd
White (WH)
3000 K
57 lm/W
<4
95
70 %

Luminous Flux in 90° Cone (Rated)	620 lm
Photobiological safety according to EN 624	171 RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	10.8 W
Lamp Current (Nom)	1,000 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	ac electronic 12 V
Temperature	
T-Case Maximum (Nom)	70 °C


Datasheet, 2025, March 17 data subject to change

MASTER LEDspot ExpertColor AR111

Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	AR111
Net Weight (Piece)	0.160 kg
Approval and Application	
Energy Efficiency Class	G
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	11 kWh
EPREL Registration Number	648252
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes


Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	MAS ExpertColor 10.8-50W 930 AR111
	40D
Full product name	MAS ExpertColor 10.8-50W 930 AR111
	40D
Full product code	871951433401400
Order code	929003043702
Material Nr. (12NC)	929003043702
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514334014
Numerator - Packs per outer box	6
EAN/UPC - Case	8719514334021


Dimensional drawing



Product	D	С
MAS ExpertColor 10.8-50W 930 AR111 40D	111 mm	61 mm

Photometric data






Spectral Power Distribution Colour - MAS ExpertColor 10.8-50W 930 AR111 40D

Light Distribution Diagram - MAS ExpertColor 10.8-50W 930 AR111 40D

MASTER LEDspot ExpertColor AR111


Photometric data




Calculate Photometric 4.5 Philips Lighting ScV. Figur. 1

Accent Lighting Spots - MAS ExpertColor 10.8-50W 930 AR111 40D

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - MAS ExpertColor 10.8-50W 930 AR111 40D



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.