

PRODUCT-DETAILS

# CPS25W-25-FR-EU

## BIND-IT FLAME RET DIA 25, 25M



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | CPS25W-25-FR-EU  |
| Product ID            | 7TCG054800R0050  |
| EAN                   | 5414363609766  |
| Catalog Description   | BIND-IT FLAME RET DIA 25, 25M  |
| Long Description      | Wrap-Around Flame-Retardant Woven Cable Sleeve, Black Polyester for Temperatures from -50 Degrees Celsius (-58 F) up to 125 Degree Celsius (257 F), Nominal Diameter Size 25mm (0.984 Inches), Mini-Reel Length 25m (82.02 Feet) |

### Ordering

|                         |               |
|-------------------------|---------------|
| EAN                     | 5414363609766 |
| UPC                     | 786209939227  |
| Country of Origin       | France (FR)   |
| Selling Unit of Measure | each          |

### Dimensions

|                            |                  |
|----------------------------|------------------|
| Product Net Depth / Length | 82.02 ft<br>25 m |
|----------------------------|------------------|

### Container Information

|                                |                    |
|--------------------------------|--------------------|
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Width          | 14.57 in<br>370 mm |
| Package Level 1 Height         | 0.63 in<br>16 mm   |
| Package Level 1 Depth / Length | 14.57 in<br>370 mm |
| Package Level 2 Units          | 2 piece            |
| Package Level 2 Width          | 14.96 in<br>380 mm |
| Package Level 2 Height         | 14.96 in<br>380 mm |
| Package Level 2 Depth / Length | 14.96 in<br>380 mm |

### Additional Information

|                   |                                |
|-------------------|--------------------------------|
| Brand / Label     | Catamount                      |
| Bundle Diameter   | 0.04 to 2.6 in<br>1 to 66 mm   |
| Color             | Black                          |
| Effective Date    | 20100324                       |
| Material          | Polyester                      |
| Product Name      | OTHER ARTICLES OF YARN         |
| Product Type      | Braided Sleeve                 |
| Temperature Range | -58 to 302 °F<br>-50 to 150 °C |

### Certificates and Declarations

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | CPS25W-25-FR-EU |
|-----------------------------------|-----------------|

### Classifications

|                                    |   |
|------------------------------------|---|
| ETIM 6                             | EC001937 - Cable protection for installation duct |
| ETIM 7                             | EC001937 - Cable protection for installation duct |
| ETIM 8                             | EC001937 - Cable protection for installation duct |
| UNSPSC                             | 39131602  |
| WEEE Category                      | Product Not in WEEE Scope                         |
| IDEA Granular Category Code (IGCC) | 5392 >> Expandable braided sleeving               |

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

