

PRODUCT-DETAILS

220026

RING TERM CU 110-230KCMIL 1/2 STUD



General Information

Extended Product Type	220026
Product ID	7TAI029030R0013
EAN	5414363111948
Catalog Description	RING TERM CU 110-230KCMIL 1/2 STUD
Long Description	Insulation Piercing Magnet Wire Ring Terminal, Length 2.76 Inches, Width 1.06 Inches, Length of Teeth 1.50 Inches, Width of Teeth .88 Inches, Stud Size 1/2 Inch, Wire Range 110,000 Circular Mil Area - 230,000 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363111948
UPC	786210855622
Replacement Product ID (NEW)	7TAI029030R0038
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth /	6 in

Length	152 mm
Package Level 2 Units	250 piece
Package Level 2 Width	10.9 in 277 mm
Package Level 2 Height	12 in 305 mm
Package Level 2 Depth / Length	12.9 in 328 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19730905
Material	Copper
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Ring Terminal
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Sub Brand / Label	Dragon Tooth

Certificates and Declarations

Data Sheet, Technical Information	220026
-----------------------------------	--------

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

