



MASTER LEDtube T8 Ultra Efficient

MAS LEDtube 1500mm UE 17.6W 840 T8 EELA

With energy prices rising and the EU's Green Deal² continuing to fund energy efficient building renovations, many are looking into make their company's lighting more sustainable. The new Philips MASTER LEDtube Ultra Efficient T8 is a true breakthrough on the way to more sustainable lighting. It replaces your current fluorescent tube or LED tube directly and offers immediately great energy cost reduction as well as a much longer lifetime!

Product data

General Information	
Cap-Base	G13 ROT (Rotating) [Medium Bi-Pin Fluorescent]
CE mark	Yes
EU RoHS compliant	Yes
Nominal lifetime	100,000 hour(s)
Switching Cycle	200,000
Lighting Technology	LED
Flux measurement reference	Sphere

Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	160 degree(s)
Luminous Flux	3,700 lumen
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	210 lm/W
Color Consistency	<6
Color rendering index (CRI)	80

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	17.6 W
Starting Time (Nom)	1 s
Warm-up time to 60% light	1 s
Power Factor (Fraction)	0.9
Voltage (Nom)	220-240 V

Temperature	
Ambient temperature range	-20 °C to 45 °C
T-Case Maximum (Nom)	45 °C

Controls and Dimming	
Dimmable	No

LLMF At End Of Nominal Lifetime (Nom)	70 %
---------------------------------------	------

MASTER LEDtube T8 Ultra Efficient

Mechanical and Housing

Bulb Finish	Frosted
Bulb Material	Plastic
Product Length	1,500 mm
Bulb Shape	Tube, double-ended


Approval and Application

Energy Saving Product	Yes
Approval Marks	RoHS compliance TUV CE marking KEMA Keur certificate
Energy Consumption kWh/1000 h	18 kWh
EPREL Registration Number	1,013,081

Product Data



Full product code	871951443168300
Order product name	MAS LEDtube 1500mm UE 17.6W 840 T8 EELA
Order code	929003482302
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929003482302
Net weight	0.285 kg
Full product name	MAS LEDtube 1500mm UE 17.6W 840 T8 EELA
EAN/UPC - Case	8719514431690

Dimensional drawing



Product	D1	D2	A1	A2	A3
MAS LEDtube 1500mm UE 17.6W 840 T8 EELA	25.8 mm	28 mm	1,498.8 mm	1,505.9 mm	1,513 mm


Photometric data



Light Distribution Diagram - MAS LEDtube 1500mm UE 17.6W 840 T8 EELA


MASTER LEDtube T8 Ultra Efficient

Photometric data




Spectral Power Distribution Colour - MAS LEDtube 1500mm UE 17.6W 840 T8 EELA


Lifetime




Life Expectancy Diagram - MAS LEDtube 1500mm UE 17.6W 840 T8 EELA



Lumen Maintenance Diagram - MAS LEDtube 1500mm UE 17.6W 840 T8 EELA




Life Expectancy Diagram - MAS LEDtube 1500mm UE 17.6W 840 T8 EELA



Life Expectancy Diagram - MAS LEDtube 1500mm UE 17.6W 840 T8 EELA

MASTER LEDtube T8 Ultra Efficient

Lifetime



Lumen Maintenance Diagram - MAS LEDtube 1500mm UE 17.6W 840 T8
EELA

