


PRODUCT-DETAILS

# LDC4K

## LDC4K Additional Coil Terminal Block



### General Information

Extended Product Type	LDC4K
Product ID	1SBN070159T1000
EAN	3471523131460
Catalog Description	LDC4K Additional Coil Terminal Block
Long Description	LDC4K is an additional coil terminal blocks equipped with Push-In Spring terminals for a top and/or bottom access to the coil terminals of AF(C)(S)09(Z)(B)...96 contactors and NF(C)(Z)(B) contactor relays. With the Push-in Spring terminals, one push is all you need for a faster than ever installation, an easier than ever wiring and a reliable as ever connection.

### Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85369010
Product Main Type	Accessories for Block Contactors

### Popular Downloads

Instructions and Manuals	1SBC101054M6801
CAD Dimensional Drawing	2CDC001079B0201

## Dimensions

Product Net Width	34 mm
Product Net Depth / Length	22 mm
Product Net Height	15 mm
Product Net Weight	0.01 kg

## Technical

Connecting Capacity Control Circuit	Flexible with Ferrule 1/2x 0.5 ... 2.5 mm <sup>2</sup> Flexible with Insulated Ferrule 1/2x 0.5 ... 1.5 mm <sup>2</sup> Flexible 1/2x 0.5 ... 2.5 mm <sup>2</sup> Rigid Solid 1/2x 1 ... 2.5 mm <sup>2</sup>
Rated Frequency (f)	Control Circuit 50 / 60 Hz
Rated Insulation Voltage (U <sub>i</sub> )	acc. to IEC 60947-5-1 690 V
Suitable For	AF09 AF09Z AF12 AF12Z AF16 AF16Z AF26 AF26Z AF30 AF30Z AF38 AF38Z AF40 AF52 AF65 AF80 AF96 AFC09 AFC12 AFC16 AFC26 AFC30 AFC38 AFC40 AFC52 AFC65 AFC80 AFC96 AF09B AF09ZB AF12B AF12ZB AF16B AF16ZB AF26B AF26ZB AF30B AF30ZB AF38B AF38ZB AF40B AF52B AF65B AF80B AF96B NF22E NFZ22E NF31E NFZ31E NF40E NFZ40E NF44E

NFZ44E  
 NF53E  
 NFZ53E  
 NF62E  
 NFZ62E  
 NF71E  
 NFZ71E  
 NF80E  
 NFZ80E  
 NFC22E  
 NFC31E  
 NFC40E  
 NFC44E  
 NFC53E  
 NFC62E  
 NFC71E  
 NFC80E  
 NFZB22E  
 NFB22E  
 NFZB31E  
 NFB31E  
 NFZB40E  
 NFB40E  
 NFZB44E  
 NFB44E  
 NFZB62E  
 NFB62E  
 NFZB80E  
 NFB80E

Terminal Type	Push-in Spring Terminals
Wire Stripping Length	Control Circuit 10 mm

## Technical UL/CSA

Connecting Capacity Control Circuit UL/CSA	Rigid Solid 1/2x 18-14 AWG
---	----------------------------

## Environmental

Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Coil Terminals IP20
RoHS Information	2CMT2021-006277
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Certificates and Declarations

ABS Certificate	ABS_20-2060694-PDA
Declaration of Conformity - CE	1SBD250060U1000
Declaration of Conformity - UKCA	1SBD250061U1000

## Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	85 mm
Package Level 1 Depth / Length	110 mm
Package Level 1 Height	60 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	3471523131460

---

## Classifications

---

eClass	V11.1 : 27371392
E-Number (Finland)	3708044
E-Number (Sweden)	3210660
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
IDEA Granular Category Code (IGCC)	4547 >> Terminal blocks
UNSPSC	39121410

---

---

## Categories

---

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories

