

PRODUCT-DETAILS

KLF-D T7 KEY LOCK SEV.ROT.HANDLE

KLF-D T7 KEY LOCK SEV.ROT.HANDLE



General Information

Extended Product Type	KLF-D T7 KEY LOCK SEV.ROT.HANDLE
Product ID	1SDA063555R1
EAN	8015644661991
Catalog Description	KLF-D T7 KEY LOCK SEV.ROT.HANDLE
Long Description	KEY LOCK SEVERAL IN OPEN FOR ROTARY HANDLE OPERATING MECH. FOR 1 C.BREAKER T7

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KT7KLFD
EAN	8015644661991
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.1 kg
--------------------	--------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	145 mm
Package Level 1 Height	50 mm
Package Level 1 Depth / Length	250 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	8015644661991

Additional Information

Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T7
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000529R0614

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371390

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

