

PRODUCT-DETAILS

BL620

BL620 Trim frame with door



General Information

Extended Product Type	BL620
Product ID	2CPX031082R9999
EAN	4011617310822
Catalog Description	BL620 Trim frame with door
Long Description	Trim frame and door, suitable for UK62.. consumer unit, powder-coated sheet steel, color: Alpine white, RAL 9016, the tip-in closure impresses with its modern design and simple operation, a safety lock is available as an accessory for more security, simple removal of the trim frame and door with a flush-mounted option,

Technical

Accessory Type	door with frame
Enclosure Type	Closed cover with door
Door Type	Single
Surface Finishing	Powder-coated
Material	Steel
DIN Place Units	24
Model Number	Protective door
RAL Number	RAL 9016 - Traffic White
Color	Traffic white

Environmental

Degree of Protection	IP30
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK107992A8137
REACH Declaration	2CPC100005X0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	384 mm
Product Net Height	497 mm
Product Net Depth / Length	33 mm
Product Net Weight	1.586 kg
Dimension Diagram	2CPC000001D0201

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	pack 1 piece
Package Level 1 Gross Weight	1.649 kg
E-Number (Sweden)	2201188

Certificates and Declarations

Declaration of Conformity - CE	9AKK107992A8137
--------------------------------	-----------------

Installation

Instructions and Manuals	2CPC130111M5601
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101
Building Information Modeling - BIM	9AKK107046A7951

Classifications

ETIM 8	EC000747 - Door/operating panel (enclosure/cabinet)
ETIM 9	EC000747 - Door/operating panel (enclosure/cabinet)
WEEE Category	Product Not in WEEE Scope
CN8	85389099
eClass	V11.0 : 27182204
Object Classification Code	U

Categories

Low Voltage Products and Systems → Enclosures → Consumer Units → Consumer Units → Accessories UK600

