

PRODUCT-DETAILS

DG-M-1.16.1

DG-M-1.16.1 DALI Gateway, MDRC



Informations générales

| | |
|------------------------------|--|
| Extension du type de produit | DG-M-1.16.1 |
| Code de produit | 2CDG510012R0011 |
| EAN | 4016779067409 |
| Description courte | DG-M-1.16.1 DALI Gateway, MDRC |
| Description longue | The device is used to interface between DALI and free@home installations and incorporates the DALI power supply. One DALI output for up to 16 DALI Slaves. |

Installation

| | |
|-------------------------|-----------------|
| Instructions et manuels | 2CDG941221P0001 |
|-------------------------|-----------------|

Technique

| | |
|--|------------------|
| Fiche produit, informations techniques | 9AKK107680A3585 |
| Auxiliary Voltage AC/DC | 110 ... 230 V AC |
| Tension du secteur (U_{in}) | 85 ... 264 V AC |
| Power Loss | 2 W |
| Interface de communication | DALI interface |
| Nombre de sorties | 1 |
| Nombre de LED | 2 |

| | |
|------------------------|-----------------------------------|
| Compatible Bus Systems | free@home DALI |
| Product Range | free@home |
| Type de montage | DIN-Rail |
| Software Updateable | Oui |
| Manual Operation | Non |
| Couleur | grey |
| Nombre de batteries | 0 |
| Application Function | Electrical Load and Light Control |

Environnement

| | |
|----------------------|-----------------------------------|
| Indice de protection | IP20 |
| Statut RoHS | Following EU Directive 2011/65/EU |
| Informations RoHS | 2CDK507177D2701 |
| REACH Declaration | 9AKK107492A1906 |

Dimensions

| | |
|-------------------------------------|-----------------|
| Width in Number of Modular Spacings | 4 |
| Produit Largeur Net | 70 mm |
| Produit Hauteur Net | 90 mm |
| Produit Longueur Net | 63.5 mm |
| Poids net | 0.133 kg |
| Schéma dimensionnel | 2CDC072033F0015 |

Commande

| | |
|---------------------------|--------------|
| Quantité minimum | 1 pièce |
| Emballage Niveau 1 Unités | box 1 pièce |
| Emballage Niveau 1 Poids | 0.18 kg |
| Code douanier | 85176200 |
| E-Number (Finland) | 2815664 |
| Pays d'origine | Germany (DE) |

Certificats et Déclarations (Numéro de document)

| | |
|--------------------------------|-----------------|
| CB Certificate | 9AKK108466A1905 |
| Déclaration de Conformité - CE | 2CDK507177D2701 |

Classifications

| | |
|-------------------|--|
| ETIM 8 | EC001099 - System interface/media gateway for bus system |
| ETIM 9 | EC001099 - System interface/media gateway for bus system |
| Catégorie DEEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| DEEE B2C / B2B | Business To Consumer |
| CN8 | 8517 62 00 |
| UNSPSC | 43222605 |
| eClass | V11.0 : 27143136 |
| Code de catégorie | 6809 >> System interface/media gateway for bus system |

granulaire IDEA (IGCC)

Catégories

Produits basse tension → Home and Building Automation → free@home → Lighting Control → DALI Gateways and Light Controllers

