

# BRANTA LUX

WQJP04855

LED luminaire BRANTA LUX, with a power of 23 W, high light efficacy 125 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. Narrow beam angle 15° gives directional light so that selected objects or surfaces can be better exposed. Designed to be mounted on a track.



|                    |               |                           |                      |
|--------------------|---------------|---------------------------|----------------------|
| Power              | <b>23 W</b>   | Voltage                   | <b>230 V</b>         |
| Colour temperature | <b>3500 K</b> | Colour of light           | <b>Neutral white</b> |
| Beam angle         | <b>15 °</b>   | Degree of protection (IP) | <b>IP20</b>          |


## Technical data

|                              |                |
|------------------------------|----------------|
| Code                         | W0JP04855      |
| Power                        | 23 W           |
| Nominal current              | 110 mA         |
| Voltage                      | 230 V          |
| Energy consumption           | 23 kWh/1000h   |
| Frequency                    | 50HZ Hz        |
| Protection class             | I              |
| Power supply included        | +              |
| Manufacturer of power supply | TCI            |
| Power factor                 | 0.93           |
| Useful luminous flux*        | 2875 lm (360°) |
| Luminous flux**              | 2415 lm (360°) |
| Lamp efficacy                | 125 lm/W       |
| Colour temperature           | 3500 K         |
| Colour of light              | Neutral white  |
| Beam angle                   | 15 °           |
| RA                           | 90             |
| Light source included        | +              |
| Producer of LED diodes       | CITIZEN        |
| Uniformity of color SDCM max | 3              |
| Dimmable                     | OPC            |
| Working temperature range    | -20/+40 °      |
| Lifespan                     | 50000 h        |
| Housing material             | Aluminum       |
| Degree of protection (IP)    | IP20           |
| Colour                       | White          |
| Dimension (AxBxC)            | 90x200x185 mm  |
| For use                      | Inside         |
| Assembly method              | on track       |
| Application                  | Inside         |
| Made in                      | PL             |



## Related documents



 Declaration of Conformity



 3D model