

# LED ST64

WOJ+14079

LED source LED ST64 2 W with E-27 base and of an unusual shape. The unique design of the decorative MODERNSHINE series creates a warm atmospheric light effect, creating a pleasant atmosphere and mood lighting. It is characterised by a high light efficacy 120 lm/W. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Wide beam angle 300° ensures even illumination of the room.



Power	<b>2 W</b>	Voltage	<b>230 V</b>
Luminous flux**	<b>240 lm (360°)</b>	Colour temperature	<b>2400 K</b>
Colour of light	<b>WW</b>	Beam angle	<b>300 °</b>
Socket	<b>E27</b>		

## Technical data


---

Code	WOJ+14079
Power	2 W
Nominal current	20 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	2 kWh/1000h
Frequency	50HZ Hz
Power factor	0.4
Useful luminous flux*	240 lm (360°)
Luminous flux**	240 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	2400 K
Colour of light	WW
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E27
Dimension (AxBxC)	64x140 mm
For use	Inside
Application	INT
Made in	PRC

## Related documents

---



 Declaration of Conformity

---

