

# PRODUCT DATASHEET

## Bathroom Sensor Hook Hanger

BATHROOM | Bathroom gadget series with motion and daylight sensor

---

### Areas of application

- Bathrooms (IP44)



---

### Product benefits

- Easy and fast mounting on nearly every surface (adhesive tape or screws)
- Economical operation due to low power consumption
- Quick and easy solution to add value to your bathroom
- Ideal combination of functionality and design

---

### Product features

- Color temperature: 3,000 K
- PIR motion and daylight sensor
- Allows a nice and soft warm lighting effect



## TECHNICAL DATA

### Electrical data


Nominal wattage	0.18 W
Nominal voltage	4,5 V
Nominal current	40.000 mA
Inrush current	40 mA
Inrush current time $T_{h50}$	40 $\mu$ s
Protection class	III

### Photometrical data

Luminous flux	10 lm
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	$\geq 80$
Standard deviation of color matching	$\leq 6$ sdcn
Photobiological safety group acc. to EN62778	RG0
Photobiological safety group acc. to EN62471	RG0
Beam angle	100 °

### Dimensions & Weight

Length	84.00 mm
Width	67.00 mm
Height	111.00 mm
Product weight	60.00 g



### Materials & Colors

Product color	Silver
Housing color	White
Body material	Acrylonitrile butadiene styrene (ABS)

## Application & Mounting

Ambient temperature range	-20...+30 °C
Type of protection	IP44
Dimmable	No
Mounting type	Surface
Application environment	Indoor
LED module replaceable	Not replaceable
With light source	Yes

## Lifespan

Number of switching cycles	100 000
----------------------------	---------

## Sensor

Type of sensor	Motion / Daylight
Sensor controlled switching time	20 s

## BATTERY

Type of Battery	Alkaline
Battery size [GMS]	AAA
Number of included batteries	3
Nominal voltage of battery	1.5 V
Nominal capacity of battery	1100 mAh

## Certificates & Standards

Standards	CE / UKCA
Ball shot safe	No

## EQUIPMENT / ACCESSORIES

- Accessories for flexible mounting options included
- Batteries included

## DOWNLOAD DATA

### Documents and certificates



Declarations Of Conformity CE

## Documents and certificates



Declarations Of Conformity UKCA

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075759121	Folding box 1	77 mm x 92 mm x 123 mm	87.00 g	0.87 dm <sup>3</sup>
4058075759138	Shipping box 6	247 mm x 202 mm x 155 mm	707.00 g	7.73 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.