

PRODUCT-DETAILS

XLP2-A60/120-B-below XLP2-A60/120-B-below Fuse Switch Disconnector



General Information Extended Product Type	XLP2-A60/120-B-bel
Product ID	1SEP102286R00
EAN	70258400811
Catalog Description	XLP2-A60/120-B-below Fuse Switch Disconnec
Long Description	XLP2,3-pole,400A, incl. A60/120 adapter, cable below without clamps or bo
Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A56
REACH Declaration	1SCC011021D02
RoHS Information	1SCC011020D02
Ordering	
Minimum Order Quantity	1 pie
Customs Tariff Number	853890
Country of Origin	China (C
Popular Downloads	
Data Sheet, Technical Information	1SEC312012D02
© 2022 APP All rights recorded	2022/00/06 Subject to obs

XLP2-A60/120-B-below 2

Instructions and Manuals	No Instructions and Manuals needed
Dimensions	
Product Net Width	210 mm
Product Net Height	290 mm
Product Net Depth /	210 mm
Length Product Net Weight	4.6 k
Todact Net Weight	
Technical	
Rated Operational Current AC-21B (I _e)	(690 V) 315 A
Rated Operational Current AC-22B (I _e)	(500 V) 400 A
Rated Impulse Withstand Voltage (U _{imp})	Main Circuit 8 kV
Rated Operational Voltage	500 V AC
D I.F	690 V AC
Rated Frequency (f)	Main Circuit 50/60 Hz
Rated Conditional Short- Circuit Current (I _{nc})	(690 V) 50 kiloampere rms
Power Loss	at Rated Load 13 W
Handle Type	Front cover 3F
Fuse Size	NH
Fuse System	DIN
Standards	IEC60947- GB/T14048.
Special Functions	Not Include:
Mounting Type	60mm Busbar System
Number of Poles	Outlin Busbar Gysten
Degree of Protection	IP3
Terminal Type	Lug terminal:
Device Type Manager (DTM)	Fuseswitchdisconnecto
Rated Current (I _n)	400 A
Rated Voltage (U _r)	500 V AC
Electronic Fuse Monitorina	690 V AC
Environmental RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Certificates and Declarations	
Declaration of Conformity	1SEP500050P0001
- CE	
REACH Declaration	1SCC011021D020
REACH Declaration	1SCC011021D020
	1SCC011021D020 ⁻
Container Information	
Container Information Package Level 1 Units	shrink-wrap 1 pieco
Container Information Package Level 1 Units Package Level 1 Width	shrink-wrap 1 piece 210 mn
Container Information Package Level 1 Units Package Level 1 Width Package Level 1 Depth / Length Package Level 1 Height	1SCC011021D020 shrink-wrap 1 piece 210 mn 210 mn

XLP2-A60/120-B-below 3

Package Level 1 Gross	4.6 kg
Weight	
Package Level 1 EAN	7025840081104
Package Level 2 EAN	7025840081104

Classifications	
Object Classification Code	S
ETIM 7	EC001040 - Fuse switch disconnector
ETIM 8	EC001040 - Fuse switch disconnector
ETIM 9	EC001040 - Fuse switch disconnector
eClass	V11.1 : 27371401
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
F-Number (Finland)	3601068

Categories

Low Voltage Products and Systems \rightarrow Fusegear \rightarrow Fuse Switch Disconnectors \rightarrow EasyLine

