

PRODUCT-DETAILS

TY546MX

CBL TIE 50LB 7 UV BLACK ID 1.2X1

General Information	
Extended Product Type	TY546MX
Product ID	7TAG009510R0062
EAN	5414363066569
Catalog Description	CBL TIE 50LB 7 UV BLACK ID 1.2X1
Long Description	Identification Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 184.15mm (7.25 Inches), Width of 4.81mm (0.19 Inch), Thickness of 1.41mm (0.055 Inch), Tensile Strength Rating of 220 Newtons (50 Pounds), Marking Pad Size of 12.7mm (0.50 Inch) x 26.99mm (1.062 Inches)

Ordering	
EAN	5414363066569
UPC	786210369273
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.19 in
	4.81 mm
Product Net Depth /	7.25 in

TY546MX 2

Length 184.15 mm

Container Information	
Package Level 1 Units	100 piece
Package Level 1 Height	12 in 305 mm
Package Level 1 Depth / Length	6 in 152 mm
Package Level 2 Units	500 piece

Technical UL/CSA	
Flammability According to UL94	V-2

Additional Information	
Brand / Label	Ty-Rap
Color	Black
Effective Date	19991012
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Identification
Tensile Strength	50 lb
	220 N
Thickness	0.055 in
	1.4 mm

Certificates and Declarations	
Data Sheet, Technical	TY546MX
Information	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5040 >> I.D. Ties

Categories

TY546MX 3

