



# CorePro Plastic LEDbulbs



## LEDbulb ND 10-75W A60 E27 840 2CT

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

### **Product data**

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	1,055 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	105 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG1
Photopiological safety according to EN 624/1	кот

Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	10 W	
Lamp Current (Nom)	90 mA	
Wattage Equivalent	75 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.54	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	95 ℃	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Frosted	


Datasheet, 2025, March 17 data subject to change

# CorePro Plastic LEDbulbs

Bulb Material	Plastic	
Bulb Shape	A60	
Net Weight (Piece)	0.046 kg	
Approval and Application		
Energy Efficiency Class	F	
Energy Consumption kWh/1000 h	10 kWh	
EPREL Registration Number	397614	
EU RoHS compliant	Yes	
EyeComfort	Yes	
Flickering value (PstLM) - Flickering value as per 1		
EN 61000-3-3		
Stroboscopic effect visibility measure (SVM)	0.4	
Ambient temperature range	-20 °C to 45 °C	


Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	LEDbulb ND 10-75W A60 E27 840 2CT
Full product name	LEDbulb ND 10-75W A60 E27 840 2CT
Full product code	871951447101600
Order code	929002306662
Material Nr. (12NC)	929002306662
Numerator - Quantity Per Pack	2
EAN/UPC - Product/Case	8719514471016
Numerator - Packs per outer box	6
EAN/UPC - Case	8719514471023

# Dimensional drawing




Product	D	С
LEDbulb ND 10-75W A60 E27 840 2CT	60 mm	108 mm

#### Photometric data






General uniform lighting - LEDbulb ND 10-75W A60 E27 840 2CT



Spectral Power Distribution Colour - LEDbulb ND 10-75W A60 E27 840 2CT


## CorePro Plastic LEDbulbs


#### Photometric data



Light Distribution Diagram - LEDbulb ND 10-75W A60 E27 840 2CT

## Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - LEDbulb ND 10-75W A60 E27 840 2CT



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.