

SCATOLLO

SLI003036CCT_PW



See
more

LED luminaire SCATOLLO with the possibility of changing the light color (CCT), with a power of 5 W, high light efficacy 130 lm/W. Thanks to the ability to change the color temperature (CCT) in the range from 3000K to 6000K, we can adjust the light color depending on our needs and preferences. It has a high IP54 rating, making it ideal for use in rooms with high humidity. The CCT function allows you to changes to the colour temperature of light (3000/4000/6000K). Designed for surface mounting.

CCT


IP54



Power	5 W	Voltage	230 V
Luminous flux*	650 lm (360°)	Colour temperature	3000/4000/6000 K
Colour of light	CCT	Beam angle	180 °
Degree of protection (IP)	IP54		


Technical data

Code	SLI003036CCT_PW
Power	5 W
Nominal current	35 mA
Voltage	230 V
Energy consumption	5 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power factor	0,5
Useful luminous flux*	650 lm (360°)
Luminous flux**	400 lm (360°)
Lamp efficacy	130 lm/W
Colour temperature	3000/4000/6000 K
Colour of light	CCT
Beam angle	180 °
RA	80
Light source included	+
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	PLASTIC
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	100x100x75 mm
For use	Inside/Outside
Assembly method	On the ceiling
Application	INT/EXT
Made in	PRC
Other	Light color change function 3000K/4000K/6000K ,



Related documents



 User manual



 Declaration of Conformity



 Photometric file

