

LIMEA GIGANT

SLI028025NW_PW_BLACK

See
more

Hermetic luminaire LIMEA GIGANT, with a power of 38 W, high light efficacy 174 lm/W. It is made of high-quality components, supported by a 5-year warranty. It has a very high degree of protection IP65, providing protection against the ingress of dust and water jets. IK10 class provides impact resistance. It shines with light of neutral - the most universal colour (4000K). Suitable for both surface and suspended mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.



| | | | |
|-----------------|-----------------------|---------------------------|---------------|
| Power | 38 W | Voltage | 230 V |
| Luminous flux* | 6600 lm (360°) | Colour temperature | 4000 K |
| Colour of light | Neutral white | Beam angle | 120 ° |
| IK | 10 | Degree of protection (IP) | IP65 |


Technical data

| | |
|------------------------------|---------------------------|
| Code | SLI028025NW_PW_BLACK |
| Power | 38 W |
| Nominal current | 180 mA |
| Voltage | 230 V |
| Energy consumption | 38 kWh/1000h |
| Frequency | 50HZ Hz |
| Protection class | I |
| Power supply included | + |
| Power factor | 0.98 |
| Useful luminous flux* | 6600 lm (360°) |
| Luminous flux** | 5900 lm (360°) |
| Lamp efficacy | 174 lm/W |
| Luminous intensity | 2000 cd |
| Colour temperature | 4000 K |
| Colour of light | Neutral white |
| Beam angle | 120 ° |
| RA | 80 |
| Uniformity of color SDCM max | 3 |
| Dimmable | No |
| Working temperature range | -20/+40 ° |
| Lifespan | 50000 h |
| Housing material | POLYCARBONATE |
| IK | 10 |
| Degree of protection (IP) | IP65 |
| Colour | Black/White |
| Dimension (AxBxC) | 1190x72x70 mm |
| For use | Inside/Outside |
| Assembly method | On the ceiling, Suspended |
| Application | INT/EXT |
| Made in | PRC |
| Other | MAX 22 pcs per line , |



Related documents



 Declaration of Conformity



 Photometric file

