

PRODUCT-DETAILS

U72TR6

U72TR6 U Compact distribution board, Flush-mounted, 144 SU, Isolated (Class II), IP31, Field Width: 2, Rows: 6, 1134 mm x 560 mm x 120 mm



Informations générales

Extension du type de produit	U72TR6
Code de produit	2CPX071733R9999
EAN	4011617717331
Description courte	U72TR6 U Compact distribution board, Flush-mounted, 144 SU, Isolated (Class II), IP31, Field Width: 2, Rows: 6, 1134 mm x 560 mm x 120 mm
Description longue	Compact distribution board, series U, partly assembled cabinet, for the internal use, with closed doorframe and door, class of protection II (double insulated), in combination with earthing set (accessory) we can achieve protection class 1, degree of protection IP31, applicable standards: EN 61439-1, EN 61439-3, Rated operational voltage 400V AC 50/60 Hz, rated current 125 A, Powder-coated, in RAL 9016, enclosure out of sheet steel, transparent door, door out of sheet steel, in RAL 9016, with Standard closure, door opening angle 120 degree, door hinge right or left, cable entry on top via nippel flange included, on bottom via flange opening pre-punched, dimensions in mm (H x W x D): 1134 x 560 x 120, Shutter frame dimensions in mm (H x W x D): 1144 x 604 x 27, Grid unit 7 GU, panel width 2, 6-rows, Space units 144, Row distance in mm: 150, covers out of Plastic, 90 degree press and turn closure, RAL 7035, with N/PE Quick-terminal, cable fastening rail integrated, expanded with distributor fields, device support removable

Technique

Normes et standards	DIN EN 61439-3
Tension	Maximum 400 V
Operational Voltage	400 V
Courant nominal (I_n)	125 A
Power Loss	$\Delta t = 20K 59.8 W$ $\Delta t = 25K 78.9 W$

$\Delta t = 30K 99 W$

Number of Rows	6
Conception	Wall cabinet flush-mount
Closure Type	Turn Handle
Configuration Type	expanded with distributor fields
Cover Plate Type	Door
Type de boîtier	compact distribution boards
Type de montage	Flush-mounted
Door Type	Single
Finition de surface	Powder-coated
Door Surface Finishing	Transparent
Qualité du matériau	Steel
Type d'encastrement	Wall cabinet flush-mount
Style de cache	Closed
DIN Place Units	144
Meter Boards	0
RAL Number	RAL 9016 - Blanc signalisation
Couleur	Traffic white
Type de borne	Quick-Terminal

Environnement

Indice de protection	IP31
Classe de protection	Isolated (Class II)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	9AKK107992A8144
REACH Declaration	2CPC100005X0201
SCIP	d7943dab-b777-483d-8993-cc363505075c Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	24
Produit Largeur Net	560 mm
Produit Hauteur Net	1134 mm
Produit Longueur Net	120 mm
Poids net	20.993 kg
Profondeur d'encastrement (t ₂)	120 mm

Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	pack 1 pièce
Emballage Niveau 1 Poids	22.02 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité
- CE

9AKK107992A8144

Installation

Instructions et manuels	2CPC121464M5601 2CPC100502M5601 2CPC130119M5601
-------------------------	---

Popular Downloads

Fiche produit, informations techniques	2CPC000001C0101 2CPC000002C0101 2CPC000377C0101
--	---

Classifications

ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
Catégorie DEEE	4. Large Equipment (Any External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142409
Code de classification d'objet	U

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX052497R9999	CZL62 U Earthing set, 15 mm x 125 mm x 280 mm	CZL62	1	piece
2CPX052412R9999	CZT2 ComfortLine Accessory door, 165 mm x 62 mm x 32 mm	CZT2	1	piece
2CPX052488R9999	CZT5 ComfortLine Accessory door, 164 mm x 62 mm x 47 mm	CZT5	1	piece
2CPX038233R9999	ZA13 Enclosure accessories, 297 mm x 370 mm x 3 mm	ZA13	1	piece
2CPX038228R9999	ZA5 Enclosure accessories, 210 mm x 200 mm x 3 mm	ZA5	1	piece
2CPX038227R9999	ZA6 Enclosure accessories, 297 mm x 210 mm x 3 mm	ZA6	1	piece
2CPX063132R9999	ZK220 ZK Terminals, 71 mm x 213 mm x 52 mm	ZK220	1	piece
2CPX062745R9999	ZK50BT Terminals	ZK50BT	1	piece
2CPX062446R9999	ZKV200P4 ZKV Enclosure accessories, 30 mm x 75 mm x 100 mm	ZKV200P4	1	piece
2CPX038148R9999	ZKV201 Interior fitting system	ZKV201	1	piece
2CPX010487R9999	TZ503 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ503	1	piece
2CPX010488R9999	TZ504 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ504	1	piece
2CPX052420R9999	CZT27H ComfortLine Enclosure accessories, 575.5 mm x 29.5 mm x 5 mm	CZT27H	1	piece
2CPX010489R9999	TZ505 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ505	1	piece
2CPX010490R9999	TZ506 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ506	1	piece
2CPX010491R9999	TZ507 Enclosure accessories, 25 mm x 100 mm x 170 mm	TZ507	1	piece
2CPX010492R9999	TZ508 Enclosure accessories, 25 mm x 100 mm x 170 mm	TZ508	1	piece

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux Divisionnaires → Compact Distribution Boards - Modules Assembled → U

