

PRODUCT-DETAILS

SQZ3

SQZ3 Phase and sequence relay



Informations générales

Extension du type de produit	SQZ3
Code de produit	2CSM111310R1331
EAN	8012542372004
Description courte	SQZ3 Phase and sequence relay
Description longue	<p>The SQZ3 relay performs the following monitoring functions in three-phase networks at 400 V AC for phase sequence, phase failure and minimum voltage (adjustable, max. 70% of V_n). If one of the three faults is detected, the output relay (safety switching contact) intervenes with one of contact) intervenes with a delay adjustable from 2 to 20 s only at minimum voltage and controls the following controls the following: Audible alarms, motor control contactors, circuit breakers with coils</p>

Technique

Tension nominale (U_T)	400 V AC
Fréquence (f)	50...60 Hz
Fréquence assignée (f)	50-60 Hz
Power Loss	at Rated Operating Conditions per Pole 1.5 W
Number of Modular Spacings per DIN Rail	3
Délai (T)	min. volt. only 2...20 second [unit of time]
Contact Type	Change-Over (CO)
Type d'affichage	LED

Environnement

Température de l'air ambiant	Operation -10...+55 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	9AKK106713A5636
REACH Declaration	9AKK108467A9482
Informations environnementales	See RoHS Information
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	0.065 m
Produit Hauteur Net	0.080 m
Produit Longueur Net	0.100 m
Poids net	0.250 kg

Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	0.3 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	9AKK106713A5636
--------------------------------	-----------------

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Popular Downloads

Fiche produit, informations techniques	9AKK106930A8017
--	-----------------

Classifications

ETIM 8	EC001189 - Phase sequence indicator
ETIM 9	EC001189 - Phase sequence indicator
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	90303100
eClass	V11.0 : 27200310
Code de classification d'objet	K

Catégories

Produits basse tension → Appareillage modulaire et parafoudres → Protection and Safety Devices → Protection Relays

