

PRODUCT-DETAILS

MSA-F-1.1.1-803

MSA-F-1.1.1-803 Mov. detector/actuator 1g



Informations générales

Extension du type de produit	MSA-F-1.1.1-803
Code de produit	2CKA006220A0565
EAN	4011395204016
Description courte	MSA-F-1.1.1-803 Mov. detector/actuator 1g

Description longue

With select lens for detection with animal access. For automatic switching of ABB-free@home® actuators dependent on movement and brightness. Switch-off delay of the actuator can be programmed via the web interface of the System Access Point. For switching 127 V~/230 V~ consumers. With integrated switch actuator. Switching function is available also without prior programming (pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations	No document needed
-----------------------------	--------------------

techniques

Courant nominal (I_n)	10 A
Maximum Switching Power	2300 W
Nombre de sorties	1
Number of Channels	1
Compatible Bus Systems	free@home
Product Range	free@home
Design Range	63x63 Busch-axcent Busch-axcent pur solo
Minimum Switching Time	Switch-On 30 second [unit of time]
Type de charge	ohmic
Type de montage	Flush Mounted
Finition de surface	Surface protection: Lacquered Surface finishing: Glossy
Matériau	Thermoplastic
Type d'encastrement	vertical
Model Number	Movement sensor
Couleur	grey metallic
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5211
REACH Declaration	2CKA309999E9999

Dimensions

Produit Largeur Net	71 mm
Produit Hauteur Net	71 mm
Produit Longueur Net	56 mm
Poids net	100 g
Profondeur d'encastrement (t_2)	32 mm

Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	carton 1 pièce
Emballage Niveau 1 Poids	0.08 kg

Code douanier	85365080
Pays d'origine	Germany (DE)

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E1432
-----------------------------------	-----------------

Classifications

ETIM 8	EC001582 - Movement sensor for bus system
ETIM 9	EC001582 - Movement sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143144

Catégories

Produits basse tension → Home and Building Automation → free@home → User Operation → Solo → Motion Detectors

