

PRODUCT-DETAILS

# TY524MXR

## CABLE TIE 30LB 5.5IN UV BLACK NYL



### General Information

Extended Product Type	TY524MXR
Product ID	7TCG009450R0172
EAN	5414363065548
Catalog Description	CABLE TIE 30LB 5.5IN UV BLACK NYL
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 139.7mm (5.5 Inches), Width of 3.56mm (0.14 Inches), Thickness of 1.31mm (0.052 Inches), Tensile Strength Rating of 178 Newtons (40 Pounds), Euroslot Packaging

### Ordering

E-Number (Finland)	1370015
EAN	5414363065548
UPC	786210612300
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

### Dimensions

Product Net Width	0.14 in 3.56 mm
Product Net Depth / Length	5.5 in 139.7 mm

---

**Container Information**


---

Package Level 1 Units	100 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	13.8 in 351 mm
Package Level 2 Depth / Length	19.7 in 500 mm

---



---

**Technical UL/CSA**


---

Flammability According to UL94	V-2
--------------------------------	-----

---



---

**Additional Information**


---

Brand / Label	Ty-Rap
Color	Black
Effective Date	19980621
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TY-RAP FASTENING
Product Type	High Performance
RoHS Date	9AKK107991A8361
Tensile Strength	40 lb 178 N
Thickness	0.05 in 1.31 mm

---



---

**Certificates and Declarations**


---

Data Sheet, Technical Information	TDS000566
Declaration of Conformity - CE	9AKK107492A9841

---



---

**Classifications**


---

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

---

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

