

WLD+40012_2F


WLD+40012_2F



Power	17 W	Voltage	48 V
Colour temperature	3000 K	Colour of light	WW
Beam angle	35 °	UGR	<19
Degree of protection (IP)	IP20		


Technical data

Code	WLD+40012_2F
Power	17 W
Nominal current	350 mA
Voltage	48 V
Energy consumption	17 kWh/1000h
Frequency	DC Hz
Protection class	III
Manufacturer of power supply	tuobo
Power factor	1
Useful luminous flux*	1700 lm (360°)
Luminous flux**	1150 lm (360°)
Lamp efficacy	100 lm/W
Luminous intensity	3100 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	35 °
UGR	<19
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	303x23x42 mm
For use	Inside
Assembly method	NA SZYŃE
Application	Inside
Made in	PRC
Other	2F ,



Related documents



 Declaration of Conformity



<p>48V </p> <p>45 mm 303 mm 29 mm</p> <p>Montaż oprawy w obrobie szyny na „click” oraz możliwość swobodnego jej przesuwania</p>	<p>48V </p> <p>45 mm 303 mm 29 mm</p> <p>Luminaire assembly within the track on “click” and its free arrangement</p>	
---	--	--

