



CorePro LEDspot MV

CorePro LEDspot 4-50W GU10 840 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. These GU10 LED spot lights are compatible with most existing fixtures with a GU10 LED base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance costs.

Product data


General Information		Input Frequency	
Cap-Base	GU10 [GU10]	Input Frequency	50 to 60 Hz
Nominal lifetime	15,000 hour(s)	Power Consumption	4 W
Switching Cycle	50,000	Lamp Current (Nom)	23 mA
Lighting Technology	LED	Wattage Equivalent	50 W
Flux measurement reference	Narrow Cone	Starting Time (Nom)	0.5 s
		Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.84
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	840 [CCT of 4000K]	T-Case Maximum (Nom)	70 °C
Beam Angle (Nom)	36 degree(s)		
Luminous Flux	350 lumen	Controls and Dimming	
Luminous Intensity (Nom)	700 cd	Dimmable	Only with specific dimmers
Color Designation	Cool White (CW)		
Correlated Color Temperature (Nom)	4000 K	Mechanical and Housing	
Luminous Efficacy (rated) (Nom)	87.00 lm/W	Bulb Shape	PAR16 [PAR 2 inch/50mm]
Color Consistency	<6		
Color rendering index (CRI)	80	Approval and Application	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Suitable For Accent Lighting	Yes
Luminous Flux in 90° Cone (Rated)	350 lumen	Energy Consumption kWh/1000 h	4 kWh
Operating and Electrical		EPREL Registration Number	391,907
Line Frequency	50 to 60 Hz		

CorePro LEDspot MV

CE mark	Yes
EU RoHS compliant	Yes
Product Data	
Full product code	871951435885000
Order product name	CorePro LEDspot 4-50W GU10 840 36D DIM
Order code	929002065802



Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929002065802
Full product name	CorePro LEDspot 4-50W GU10 840 36D DIM
EAN/UPC - Case	8719514358867

Dimensional drawing




Product	D	C
CorePro LEDspot 4-50W GU10 840 36D DIM	50 mm	54 mm

Photometric data



Spectral Power Distribution Colour - CorePro LEDspot 4-50W GU10 840 36D DIM



Light Distribution Diagram - CorePro LEDspot 4-50W GU10 840 36D DIM

CorePro LEDspot MV

Lifetime



Life Expectancy Diagram - CorePro LEDspot 4-50W GU10 840 36D DIM

Lumen Maintenance Diagram - CorePro LEDspot 4-50W GU10 840 36D DIM

