

PRODUCT-DETAILS

## **TY635MX**

# CABLE TIE 50LB 14IN BLK NYL MTG HOL



<b>General Information</b>	
Extended Product Type	TY635MX
Product ID	7TAG009520R0075
EAN	5414363066743
Catalog Description	CABLE TIE 50LB 14IN BLK NYL MTG HOL
Long Description	Integrated Mounting Hole Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 371mm (14.6 Inches), Width of Width of 4.6mm (0.18 Inch), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), #6 Screw for Mounting, Bulk Pack

Ordering		
EAN	5414363066743	
UPC	786210226910	
Country of Origin	United States (US)	
Selling Unit of Measure	each	

Dimensions	
Product Net Width	0.18 in
	4.57 mm
Product Net Depth /	7.8 in
Length	198 mm

TY635MX 2

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	1 in
	25 mm
Package Level 1 Height	1 in
	25 mm
Package Level 1 Depth /	1 in
Length	25 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	14 in
	356 mm
Package Level 2 Height	12 in
	305 mm
Package Level 2 Depth /	18 in
Length	457 mm

#### Technical UL/CSA

Flammability According V-2 to UL94

#### **Additional Information**

Brand / Label	Ty-Rap	
Bundle Diameter	0.12 to 1.77 in	
	3 to 45mm	
Color	Black	
Effective Date	19950119	
Lock Type	Stainless Steel Barb	
Material	Nylon/Polyamide 6.6	
Product Name	NYLON CABLE TIES AND ACCESSORIES	
Product Type	Integrated Mounting Hole	
RoHS Date	9AKK107991A8069	
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.	
Tensile Strength	50 lb 220 N	
Thickness	0.04 in 1 mm	

#### **Certificates and Declarations**

Data Sheet, Technical TDS000577 Information

Cla	ssifi	cati	ons

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

TY635MX 3

### Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$ 

