Product End of Life Instructions

GV6P500H 3P 70kA Motor Circuit Breaker

Schneider Electric

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	BOITIER TRI - NSX (Back cover)	194.0	Plastic part with Brominated Flame Retardant (11.6g)
To be depolluted	2	Printed Circuit Board Assembly	16.0	Micrologic Trip unit

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	“The Motor Breaker GV6P 3 pole circuit breaker equipped with Micrologic 2.2 trip unit is designed to provide protection against overloads and short-circuits for electrical motors with assigned voltage up to 690VAC and rated current of 500A”
Product reference	GV6P500H
Total representative product mass	5560 g
Representative product dimensions	161mm x 105mm x 86mm
Date of information release	06/2019

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	**53%**	Based on “ECO’DEEE recyclability and recoverability calculation method” (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center

http://www2.schneider-electric.com/sites/corporate/en/support/operations/local-operations/local-operations.page

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI1905003_V1

06/2019