

PRODUCT-DETAILS

GSB134

2-PC INNER SLV CONN ORG I.D. 0.134



General Information

Extended Product Type	GSB134
Product ID	7TAI029070R0013
EAN	5414363113669
Catalog Description	2-PC INNER SLV CONN ORG I.D. 0.134
Long Description	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 5/16 Inch/7.9mm, Inner Diameter .134 Inches/3.40mm, Outer Diameter .156 Inches/4.00mm, Color Orange, Hard Bronze, Tin Plated

Ordering

EAN	5414363113669
UPC	786210812991
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	2.8 in 71 mm
Package Level 1 Height	2.3 in 58 mm
Package Level 1 Depth /	3.3 in

Length	84 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	6 in 152 mm
Package Level 2 Height	3.4 in 86 mm
Package Level 2 Depth / Length	12.2 in 310 mm

Additional Information

Brand / Label	Sta-Kon
Color	Orange
Effective Date	19680516
Material	Hard Bronze
Product Name	ELECTRICAL COUPLING
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
Sub Brand / Label	Shield-Kon

Certificates and Declarations

Data Sheet, Technical Information	GSB134
-----------------------------------	--------

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
ETIM 8	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

