

PRODUCT-DETAILS

## Q843E408

## Q843E408 Cabinet, 849 mm x 384 mm x 250 mm



General Information	
Extended Product Type	Q843E408
Product ID	1SZE430801B0020
EAN	5411815219344
Catalog Description	Q843E408 Cabinet, 849 mm x 384 mm x 250 mm
Long Description	Wallcabinet Extention, Type System pro E energy L, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP43 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperatally, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 800 x 400 (384) x 250, No.Mod.DIN 60 (H=150 mm), prepared for extention side-byside, prepared for interrior fitting System pro E energy Combi (up to 800A)

Technical	
Material	Steel
RAL Number	RAL 7035 - Light Grey
Color	Grey
Number of Batteries	0

## **Environmental**

Q843E408 2

RoHS Information	1STC860120 9AKK108467A5062
REACH Declaration	1STE000078
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	

Dimensions	
Product Net Width	384 mm
Product Net Height	849 mm
Product Net Depth / Length	250 mm

Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece

Certificates and Declarations	
Declaration of	1STC860120
Conformity - CF	

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads	
Data Sheet, Technical	No document needed
Information	

Classifications	
ETIM 8	EC002524 - Side-/back panel (enclosure/cabinet)
ETIM 9	EC002524 - Side-/back panel (enclosure/cabinet)
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27182101
Object Classification Code	U

## Categories

Q843E408 3





