

PRODUCT-DETAILS

CA25B

CA25B ComfortLine Compact distribution board,
Surface-mounted, 120 SU, Geïsoleerd, IP30,
Field Width: 2, Rows: 5, 800 mm x 550 mm x
160 mm



Algemene informatie

Type	CA25B
Artikelnummer	2CPX052169R9999
EAN	4011617521693

Omschrijving CA25B ComfortLine Compact distribution board, Surface-mounted, 120 SU, Geïsoleerd, IP30, Field Width: 2, Rows: 5, 800 mm x 550 mm x 160 mm

Omschrijving Compact distribution board, empty cabinet, for the internal use, without door, class of protection II (double insulated), in combination with earthing set (accessory) we can achieve protection class 1, degree of protection IP30, applicable standards: EN 61439-1, EN 61439-3, Rated operational voltage 400V AC 50/60 Hz, rated current 125 A, Powder-coated, in RAL 9016, enclosure out of sheet steel, without door, cable entry on top via membrane flange mounted, on bottom via flange opening pre-punched, dimensions in mm (H x W x D): 800 x 550 x 160, Grid unit 5 GU, panel width 2, Space units 120, without N/PE without terminal, cable fastening rail integrated, pre-assembled for installation of modules and CombiLine Modules

Technical

Normen	DIN EN 61439-3
Nominaal bedrijfsvoltage	Maximum 400 V
Operationeel voltage	400 V
Toegekende stroom (I_n)	125 A

Vermogensverlies

$\Delta t = 20K 60.6 W$

$\Delta t = 25K \ 80 \ W$
 $\Delta t = 30K \ 100.4 \ W$

Aantal rijen	5
Configuratietype	pre-assembled for installation of modules and Combiline Modules
Afdekplaattype	optional
Behuizingstype	compact distribution boards
Montagetype	Surface-mounted
Deurtype	Without Door
Uitvoering oppervlakte	Powder-coated
Materiaal behuizing	Steel
Afdekestijl	Closed
DIN-plaatseenheden	120
RAL-nummer	RAL 9016 - Verkeerswit
Kleur	Traffic white
Terminaltype	Quick-Terminal

Environmental

Beschermingsgraad	IP30
Beschermingsklasse	Geïsoleerd
RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	9AKK107680A4771
REACH-verklaring	2CPC100005X0201
Rapport over conflictmineralen (CMRT)	9AKK108468A3363

Dimensions

Breedte in module-eenheden	24
Product netto breedte	550 mm
Product netto hoogte	800 mm
Product netto diepte	160 mm
Product netto gewicht	8.753 kg
Inbouwdiepte (t ₂)	0 mm

Ordering

Minimale bestelhoeveelheid	1 stuk
Pakketniveau 1 Units	pack 1 stuk
Pakketniveau 1 Brutogewicht	9.103 kg

Certificates and Declarations

Conformiteitsverklaring - CE	9AKK107680A4771
------------------------------	-----------------

Installation

Instructies en handleidingen	2CPC133150M5601
------------------------------	-----------------

Popular Downloads

Gegevensblad, technische informatie	2CPC000001C0101
	2CPC000002C0101
	2CPC000377C0101
Building Information Modeling – BIM	9AKK107680A4427;9AKK107680A4426

Classifications

ETIM 8	EC000214 - Installatiekast met DIN-rail leeg
ETIM 9	EC000214 - Installatiekast met DIN-rail leeg
WEEE-categorie	Product Not in WEEE Scope
AEEA B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142409
Object classificatiecode	U

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX052449R9999	CZL61 ComfortLine Compact CA Enclosure accessories, 15 mm x 200 mm x 300 mm	CZL61	1	piece
2CPX052556R9999	CZ9P16 ComfortLine Interior fitting system, 26 mm x 18.2 mm x 94 mm	CZ9P16	1	piece
2CPX052325R9999	CTB25S ComfortLine Door, IP44, Field Width: 2, 771 mm x 521 mm x 14 mm	CTB25S	1	piece
2CPX052360R9999	CTT25S ComfortLine Door, IP44, Field Width: 2, 771 mm x 521 mm x 14 mm	CTT25S	1	piece
2CPX052379R9999	CTL25S ComfortLine Door, IP30, Field Width: 2, 771 mm x 521 mm x 14 mm	CTL25S	1	piece
2CPX052393R9999	CTW25S ComfortLine Door, IP30, 771 mm x 521 mm x 14 mm	CTW25S	1	piece
2CPX052462R9999	CZ4 ComfortLine Accessory cabinet connection, 20.5 mm x 204 mm x 87 mm	CZ4	1	piece
2CPX052460R9999	CZ2 ComfortLine Accessory cabinet connection, 30 mm x 50 mm x 13 mm	CZ2	1	piece
2CPX052459R9999	CZ1P4 ComfortLine Accessory cabinet assembly, 130 mm x 40 mm x 20 mm	CZ1P4	1	piece
2CPX052457R9999	ZK221 Terminals	ZK221	1	piece
2CPX052456R9999	ZK19 ComfortLine Terminal carrier, 20 mm x 205.5 mm x 15 mm	ZK19	1	piece
2CPX052437R9999	CZF3 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF3	1	piece
2CPX052438R9999	CZF4 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF4	1	piece
2CPX052452R9999	CZB115 ComfortLine Compact CA Interior fitting system, 750 mm x 84.5 mm x 7 mm	CZB115	1	piece

Categorieën

Laagspanningsproducten en -systemen → Verdelers → Onderverdeelborden (System pro E energy) → Compacte verdeelborden - samengestelde modules → ComfortLine Compact CA

