

PRODUCT-DETAILS

CT3/600

CT3/600 Current transformer



General Information

Extended Product Type	CT3/600
Product ID	2CSG121170R1101
EAN	8012542603504
Catalog Description	CT3/600 Current transformer
Long Description	CT3/600 is used to transform primary currents to $.5A$ secondary currents for c.a. measurement instruments

Technical

Cable Use	Cable, Horizontal and Vertical bars
Rated Primary Current (I_{pn})	600 A
Rated Secondary Current (I_{sn})	10 A
Current Limit Function	FS 5
Frequency (f)	50 ... 60 Hz
Apparent Power Output	2500 V·A
Power Loss	6 W
Secondary Output Connection	Screw connection
Mounting Type	Through Primary
Model Number	Through-feed current converter
Cable Cross-Section	21 mm
Rated Cross-Section	30 x 10 mm

Environmental

Ambient Air Temperature	Operation -5 ... 50 °C
Degree of Protection	IP30
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Information	2CSC445004K0201
Environmental Information	See RoHS Information
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	0.065 m
Product Net Height	0.080 m
Product Net Depth / Length	0.100 m
Product Net Weight	0.300 kg

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.3 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5700
--------------------------------	-----------------

Installation

Instructions and Manuals	2CSC446012B0201
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0430
-----------------------------------	-----------------

Classifications

ETIM 8	EC002048 - Current transformer
ETIM 9	EC002048 - Current transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85043121
eClass	V11.0 : 27210902
Object Classification Code	T

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Current Transformers

