


PRODUCT-DETAILS

QA/S3.64.1

QA/S3.64.1 Energy Analyzer, M-Bus, 64 Devices, MDRC



General Information

| | |
|-----------------------|---|
| Extended Product Type | QA/S3.64.1 |
| Product ID | 2CDG110227R0011 |
| EAN | 4016779997768 |
| Catalog Description | QA/S3.64.1 Energy Analyzer, M-Bus, 64 Devices, MDRC |
| Long Description | Energy management solution for capturing and analyzing consumption data of up to 64 electricity, gas, water or heat meters via M-Bus. Web-based user interface with graphical analysis functions such as historical data, dashboard, and more. Various export functions and APIs for further processing of metering data. |

Installation

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 2CDG941193P0001 |
|--------------------------|-----------------|

Technical

| | |
|-----------------------------------|------------------|
| Data Sheet, Technical Information | 2CDC512091D0201 |
| Voltage Range | 110 ... 230 V AC |
| Auxiliary Voltage AC/DC | KNX |
| Maximum Switching Current | 20 A |
| Power Loss | 3 W |

| | |
|-------------------------------------|---------------------|
| Number of Outputs | 3 |
| Maximum Number of Switching Outputs | 3 |
| Number of Digital Inputs | 0 |
| Compatible Bus Systems | m-Bus |
| Product Range | KNX |
| Connection Type | Direct |
| Mounting Type | DIN-Rail |
| Manual Operation | Yes |
| Model Number | Other |
| Color | light grey |
| Number of Batteries | 0 |
| Application Function | Building Management |

Environmental

| | |
|----------------------|---|
| Degree of Protection | IP20 |
| RoHS Status | Following EU Directive 2011/65/EU |
| RoHS Information | 2CDK512093D2701 |
| REACH Declaration | 9AKK107492A1906 |
| SCIP | 54312322-d76b-444e-b8aa-061ca1be824d Germany (DE) |

Dimensions

| | |
|-------------------------------------|-----------------|
| Width in Number of Modular Spacings | 4 |
| Product Net Width | 72 mm |
| Product Net Height | 90 mm |
| Product Net Depth / Length | 64.5 mm |
| Product Net Weight | 0.15 kg |
| Built-In Depth (t ₂) | 64.5 mm |
| Dimension Diagram | 2CDC072033F0015 |

Ordering

| | |
|------------------------------|--------------|
| Minimum Order Quantity | 1 piece |
| Package Level 1 Units | box 1 piece |
| Package Level 1 Gross Weight | 0.19 kg |
| Customs Tariff Number | 85176200 |
| E-Number (Finland) | 2815589 |
| E-Number (Norway) | 4544767 |
| E-Number (Sweden) | 0900157 |
| E-Number (Switzerland) | 405810305 |
| Country of Origin | Germany (DE) |

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CDK512093D2701 |
|--------------------------------|-----------------|

Classifications

| | |
|----------------------------|--|
| ETIM 8 | EC001102 - Energy management for bus system |
| ETIM 9 | EC001102 - Energy management for bus system |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 8517 62 00 |
| eClass | V11.0 : 27143126 |
| Object Classification Code | A |

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Energy Management → Energy Gateways and Analysers

