

# NOCTIS SOLARIS 2

SLI029063CW



See  
more

LED luminaire NOCTIS SOLARIS 2, with a power of 50 W. It has a very high degree of protection IP65, providing protection against the ingress of dust and water jets. It shines with a cold light (6000K). Narrow beam angle 90° gives directional light so that selected surfaces can be better exposed. Designed for surface mounting.



Power	<b>50 W</b>	Voltage	<b>3.2 V</b>
Colour temperature	<b>6000 K</b>	Colour of light	<b>CW</b>
Beam angle	<b>90 °</b>	Degree of protection (IP)	<b>IP65</b>

## Technical data


---

Code	SLI029063CW
Power	50 W
Voltage	3.2 V
Energy consumption	50 kWh/1000h
Protection class	III
Luminous flux**	650 lm (360°)
Colour temperature	6000 K
Colour of light	CW
Beam angle	90 °
RA	>70
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	ABS+PC
Degree of protection (IP)	IP65
Colour	Black
Dimension (AxBxC)	168x126x35mm + panel 210x200x17 mm
For use	Outside
Assembly method	On the ceiling
Application	EXT
Made in	PRC
Other	Working time 14h, Charging time 4-6h ,

## Related documents

---



 Declaration of Conformity

---

