

PRODUCT-DETAILS

UK650MV

UK650MV Multimedia unit , 872 mm x 384 mm x 97 mm, Flush-mounted, IP30, Enkele deur



Algemene informatie

Type	UK650MV
Artikelnummer	2CPX031393R9999
EAN	4011617313939
Omschrijving	UK650MV Multimedia unit , 872 mm x 384 mm x 97 mm, Flush-mounted, IP30, Enkele deur
Omschrijving	Multimedia unit, series UK600, Expansion option: Lateral and bottom, for the internal use, with closed doorframe and door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, IK code 7, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 850°C, Powder-coated, in RAL 9016, enclosure out of thermoplast, with frame and ventilated door , door out of sheet steel, in RAL 9016, with TIP-in closure, door opening angle 120 degree, door hinge right or left, cable entry on top via cable entry slide part is pre-punched, on bottom via cable entry slide part is pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 872 x 384 x 97, Shutter frame dimensions in mm (H x W x D): 872 x 384 x 9, 5-rows, cable fastening rail integrated, assembled with DIN rail, perforated sheet steel mounting plate and rotatable double socket outlet

Technical

Normen	DIN 43871
Nominaal bedrijfsvoltage	Maximum 400 V
Operationeel voltage	400 V
Toegekende stroom (I _n)	63 A

Vermogensverlies	$\Delta t = 30K$ 155 W
Aantal rijen	5
Type sluiting	Push Button
Configuratietype	assembled with DIN rail, perforated sheet steel mounting plate and rotatable double socket outlet
Afdekplaattype	Door
Behuizingstype	Multimedia unit
Montagetype	Flush-mounted
Deurtype	Enkele deur
Uitvoering oppervlakte	Powder-coated
Materiaal behuizing	Plastic
Afdekstijl	Closed
RAL-nummer	RAL 9016 - Verkeerswit
Kleur	Traffic white
Terminaltype	No Terminals

Environmental

Beschermingsgraad	IP30
Beschermingsklasse	Geisoleerd
RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	9AKK107992A8137
REACH-verklaring	2CPC100005X0201
Rapport over conflictmineralen (CMRT)	9AKK108468A3363

Dimensions

Breedte in module-eenheden	12
Product netto breedte	384 mm
Product netto hoogte	872 mm
Product netto diepte	97 mm
Product netto gewicht	5.42 kg
Inbouwdiepte (t ₂)	81 mm
Dimensiediagram	2CPC000001D0201 2CPC000003D0201 2CPC000004D0201 2CPC000007D0201

Ordering

Minimale bestelhoeveelheid	1 stuk
Pakketniveau 1 Units	pack 1 stuk
Pakketniveau 1 Brutoweight	5.637 kg
E-Number (Sweden)	2201266

Certificates and Declarations

Conformiteitsverklaring - CE	9AKK107992A8137
------------------------------	-----------------

Installation

Instructies en handleidingen	2CPC130102M5601
------------------------------	-----------------

Popular Downloads

Gegevensblad, technische informatie	No document needed
-------------------------------------	--------------------

Building Information Modeling – BIM	9AKK107046A7947
-------------------------------------	-----------------

Classifications

ETIM 8	EC000214 - Installatiekast met DIN-rail leeg
--------	--

ETIM 9	EC000214 - Installatiekast met DIN-rail leeg
--------	--

WEEE-categorie	4. Large Equipment (Any External Dimension More Than 50 cm)
----------------	---

AEEA B2C / B2B	Business To Consumer
----------------	----------------------

CN8	85381000
-----	----------

eClass	V11.0 : 27142409
--------	------------------

Object classificatiecode	U
--------------------------	---

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX062745R9999	ZK50BT Terminals	ZK50BT	1	piece
2CPX030892R9999	ZK507 Terminals	ZK507	1	piece
2CPX031413R9999	UZT4 Enclosure accessories	UZT4	1	piece
2CPX031412R9999	UZT3 Enclosure accessories	UZT3	1	piece
2CPX031434R9999	UZ91P4 Enclosure accessories	UZ91P4	1	piece
2CPX031406R9999	AP660 Enclosure accessories	AP660	1	piece
2CPX061178R9999	ZX29 Interior fitting system	ZX29	1	piece
2CPX061177R9999	ZE225 Customized electrical components	ZE225	1	piece
2CPX031408R9999	UZB2 Enclosure accessories	UZB2	1	piece
2CPX061211R9999	ZE227 Customized electrical components	ZE227	1	piece
2CPX031426R9999	ZE338 Interior fitting system	ZE338	1	piece
2CPX031427R9999	ZE224 Customized electrical components	ZE224	1	piece
2CPX031424R9999	ZE336 Interior fitting system	ZE336	1	piece
2CPX031423R9999	ZE335 Interior fitting system	ZE335	1	piece

Categorieën

Laagspanningsproducten en -systemen → Verdelers → Installatiekasten (System pro E comfort) → Installatiekasten → UK600

